## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: Molto Luce GmbH

Supplier's address: Molto Luce Servicecenter, Europastraße 45 A-4600 Wels

Model identifier: aled0089,8040,1

## Type of light source:


| Lighting technology used:     | LED   | Non-directional or directional: | NDLS |
|-------------------------------|-------|---------------------------------|------|
| Light source cap-type         | Cable |                                 |      |
| (or other electric interface) |       |                                 |      |
| Mains or non-mains:           | NMLS  | Connected light source (CLS):   | No   |
| Colour-tuneable light source: | No    | Envelope:                       | -    |
| High luminance light source:  | Yes   |                                 |      |
| Anti-glare shield:            | No    | Dimmable:                       | Yes  |

| Product parameters                                  |   |                           |  |              |  |  |
|---|---|---------------------------|--|--------------|--|--|
| Parameter   |   | Value                     | Parameter  | Value        |  |  |
| General product parameters:                         |   |                           |  |              |  |  |
| •.  | nption in on-<br>00 h), rounded<br>st integer                                   | 12                        | Energy efficiency<br>class   | E            |  |  |
| dicating if it refe<br>a sphere (360 <sup>o</sup> ) | s flux (фuse), in-<br>ers to the flux in<br>, in a wide cone<br>nrow cone (90º) | 1 629 in<br>Sphere (360°) | Correlated colour<br>temperature,<br>rounded to the near-<br>est 100 K, or the<br>range of correlat-<br>ed colour temper-<br>atures, rounded to<br>the nearest 100 K,<br>that can be set | 4 000        |  |  |
| On-mode pow<br>pressed in W                         | ver (P <sub>on</sub> ), ex-   | 11,2                      | Standby power (P <sub>sb</sub> ),<br>expressed in W and<br>rounded to the sec-<br>ond decimal  | 0,00         |  |  |
| (P <sub>net</sub> ) for CLS, e                      | andby power<br>expressed in W<br>the second dec-                                | -                         | Colour rendering in-<br>dex, rounded to the<br>nearest integer, or<br>the range of CRI-val-<br>ues that can be set   | 80           |  |  |
| Outer dimen-  | Height  | 2                         | Spectral power dis-  | See image    |  |  |
| sions without                                       | Width   | 9                         | tribution in the   | in last page |  |  |
| separate con-<br>trol gear, light-<br>ing control   | Depth   | 445                       | range 250 nm to 800<br>nm, at full-load  |              |  |  |

| parts and non-<br>lighting con-<br>trol parts, if<br>any (millime-<br>tre) |      |                              |       |  |  |  |
|--|------|------------------------------|-------|--|--|--|
| Claim of equivalent power <sup>(a)</sup>                                   | -    | If yes, equivalent power (W) | -     |  |  |  |
|  |      | Chromaticity coordi-         | 0,382 |  |  |  |
|  |      | nates (x and y)              | 0,380 |  |  |  |
| Parameters for LED and OLED light sources:                                 |      |                              |       |  |  |  |
| R9 colour rendering index value  | 13   | Survival factor              | 0,99  |  |  |  |
| the lumen maintenance factor   | 0,80 |                              |       |  |  |  |
| (a)  |      |                              |       |  |  |  |

(a)'-' : not applicable;

(b)'-' : not applicable;



Model placed on the Union market from 05/03/2020



**EPREL registration number:** 1019247

Supplier: Molto Luce GmbH (Manufacturer)

**Customer care service:** 

Name: Molto Luce Servicecenter

Email: servicecenter@moltoluce.com

Address:

Europastraße 45 A-4600 Wels

https://eprel.ec.europa.eu/qr/10 19247

Website:

Website:

Phone: +43 7242 698-200