# **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

### Supplier's name or trade mark: FARO BARCELONA

Supplier's address: Chief Quality Officer, Dinàmica 1, 08753 Castellbisbal Barcelona, ES

Model identifier: L00077

# Type of light source:


Lighting technology used:	LED	Non-directional or directional:	DLS			
Light source cap-type	PCB with screws					
(or other electric interface)						
Mains or non-mains:	NMLS	Connected light source (CLS):	No			
Colour-tuneable light source:	No	Envelope:	-			
High luminance light source:	No					
Anti-glare shield:	No	Dimmable:	Yes			
Product parameters						

		Product para	lieleis			
Parameter		Value	Parameter	Value		
General product parameters:						
Energy consum mode (kWh/10 up to the neares	00 h), rounded	2	Energy efficiency class	D		
dicating if it refe a sphere (360°),	s flux (φuse), in- ers to the flux in , in a wide cone rrow cone (90º)	220 in Wide cone (120°)	Correlated colour temperature, rounded to the near- est 100 K, or the range of correlat- ed colour temper- atures, rounded to the nearest 100 K, that can be set	2 700		
On-mode pow pressed in W	ver (P <sub>on</sub> ), ex-	1,5	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,50		
	andby power expressed in W the second dec-	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80		
Outer dimen-	Height	2	Spectral power dis-	See image		
sions without	Width	90	tribution in the	in last page		
separate con- trol gear, light- ing control	Depth	90	range 250 nm to 800 nm, at full-load			

parts and non- lighting con- trol parts, if any (millime- tre)						
Claim of equivalent power <sup>(a)</sup>	-	lf yes, equivalent power (W)	-			
		Chromaticity coordi-	0,458			
		nates (x and y)	0,410			
Parameters for directional light sources:						
Peak luminous intensity (cd)	35	Beam angle in de- grees, or the range of beam angles that can be set	120			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	97	Survival factor	-			
the lumen maintenance factor	-					
(2).	•	· · · · · · · · · · · · · · · · · · ·				

(a)'-' : not applicable;

(b)'-' : not applicable;



Model placed on the Union market from 25/09/2020



# **EPREL registration number:** 1066967

**Supplier:** LOREFAR SL (Importer)

### **Customer care service:**

Name: Chief Quality Officer

Email: faro@lorefar.com

#### Address: Dinàmica 1

08753 Castellbisbal Spain https://eprel.ec.europa.eu/qr/10 66967

Website: www.faro.es

# Website: www.faro.es

Phone: 902165166