# **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

### Supplier's name or trade mark: SEGULA

Supplier's address: SEGULA GmbH, Bergwiesenäcker 15, 72160 Horb, DE

Model identifier: 55880

### Type of light source:

| Lighting technology used:     | LED  | Non-directional or directional: | NDLS                            |
|-------------------------------|------|---------------------------------|---------------------------------|
| Light source cap-type         | E27  |                                 |                                 |
| (or other electric interface) |      |                                 |                                 |
| Mains or non-mains:           | NMLS | Connected light source (CLS):   | No                              |
| Colour-tuneable light source: | Yes  | Envelope:                       | -                               |
| High luminance light source:  | No   |                                 |                                 |
| Anti-glare shield:            | No   | Dimmable:                       | Only with spe-<br>cific dimmers |

**Product parameters** 


#### Value Parameter Parameter Value **General product parameters:** Energy consumption in on-3 Energy efficiency G mode (kWh/1000 h), rounded class up to the nearest integer 210 in Useful luminous flux (quse), in-Correlated colour 2000...2700 dicating if it refers to the flux in Sphere (360°) temperature, a sphere (360°), in a wide cone rounded to the near-(120°) or in a narrow cone (90°) est 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set 3,0 Standby power (P<sub>sb</sub>), 0,00 On-mode power (P<sub>on</sub>), expressed in W expressed in W and rounded to the second decimal Colour rendering in-90 Networked standby power (P<sub>net</sub>) for CLS, expressed in W dex, rounded to the nearest integer, or and rounded to the second deciməl the range of CRI-val-

| Imai                               |       |     | ues that can be set                     |              |
|------------------------------------|-------|-----|---|--------------|
| Outer dimen-                       | 0     | 140 | Spectral power dis-                     | See image    |
| sions without                      |       | 95  | tribution in the                        | in last page |
| separate con-<br>trol gear, light- | Depth | 95  | range 250 nm to 800<br>nm, at full-load |              |

| ing control<br>parts and non-<br>lighting con-<br>trol parts, if<br>any (millime-<br>tre)<br>Claim of equivalent power <sup>(a)</sup> | Yes         | If yes, equivalent power (W)            | 22             |
|---|-------------|---|----------------|
|   |             | Chromaticity coordi-<br>nates (x and y) | 0,458<br>0,410 |
| Parameters for LED and OLED lig   | ht sources: |   |                |
| R9 colour rendering index value   | 50          | Survival factor                         | 0,95           |
| the lumen maintenance factor  | 1,00        |   |                |
| (2)   |             |   |                |

(a)'-' : not applicable;

(b)<sub>'-'</sub> : not applicable;



Model placed on the Union market from 03/01/2022



**EPREL registration number:** 1091452

Supplier: SEGULA GmbH (Manufacturer)

### **Customer care service:**

Name: SEGULA GmbH

Email: info@segula.de

### Address: Bergwiesenäcker 15

72160 Horb Germany https://eprel.ec.europa.eu/qr/10 91452

Website: www.segula.de

## Website: www.segula.de

Phone: 07483912780