Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: INNR

Supplier's address: Innr Servicedesk, Innr, IBRS 1232, 1200 WB, NL

Model identifier: FL 142 C strip

Type of light source:

| Lighting technology used: | LED | Non-directional or directional: | NDLS |
|-------------------------------|-------------------------------|---------------------------------|---------------------------------|
| Light source cap-type | DC jack 5.5 / 2.1 center + | | |
| (or other electric interface) | 2.1 Center 1 | | |
| Mains or non-mains: | NMLS | Connected light source (CLS): | Yes |
| Colour-tuneable light source: | Yes | Envelope: | - |
| High luminance light source: | No | | |
| Anti-glare shield: | No | Dimmable: | Only with spe- cific dimmers |


Product parameters

Parameter Parameter Value Value **General product parameters:** Energy consumption in on-4 Energy efficiency G mode (kWh/1000 h), rounded class up to the nearest integer Useful luminous flux (duse), in-320 in Correlated colour 1000...10000 dicating if it refers to the flux in Sphere (360°) temperature, a sphere (360°), in a wide cone rounded to the near-(120°) or in a narrow cone (90°) est 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set 4,0 Standby power (P_{sb}), 0,25 On-mode power (P_{on}), expressed in W expressed in W and rounded to the second decimal 0,25 Colour rendering in-86 Networked standby power (P_{net}) for CLS, expressed in W dex, rounded to the nearest integer, or and rounded to the second decthe range of CRI-valimal ues that can be set 3 Outer dimen-Spectral power dis-See image Height sions without tribution in the in last page Width 10 separate conrange 250 nm to 800 Depth 500 trol gear, lightnm, at full-load

| ing control parts and non- lighting con- trol parts, if any (millime- tre) Claim of equivalent power ^(a) | Yes | If yes, equivalent | 30 |
|---|--------------|----------------------|-------|
| | | power (W) | 50 |
| | | Chromaticity coordi- | 0,437 |
| | | nates (x and y) | 0,420 |
| Parameters for LED and OLED lig | sht sources: | | |
| R9 colour rendering index value | 29 | Survival factor | 1,00 |
| the lumen maintenance factor | 0,96 | | |
| (2) | 1 | | |

(a)'-' : not applicable;

(b)_{'-'} : not applicable;



Model placed on the Union market from 01/09/2023



EPREL registration number: 1240442

Supplier: Innr Lighting B.V. (Manufacturer)

Customer care service:

Name: Innr Servicedesk

Email: service@innr.com

Address: Innr, IBRS 1232, 1200 WB, NL https://eprel.ec.europa.eu/qr/12 40442

Website: www.innr.com

Website: www.innr.com

Phone: +31357440388