## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's address: Cecilie Damsgaard Boye, Havnen 1 8700 Horsens Denmark

Model identifier: Factor Linear Suspension Lamp 3500K


_		•	•••			
11/	no.	Λt	$\mathbf{H}\boldsymbol{\alpha}$	nt	$c \cap$	urca.
1 V	νC	VI.	IIE	116	30	urce:

Lighting technology used:	LED	Non-directional or	NDLS		
		directional:			
Light source cap-type	Integrated LED				
(or other electric interface)					
Mains or non-mains:	NMLS	Connected light	No		
		source (CLS):			
Colour-tuneable light source:	No	Envelope:	-		
High luminance light source:	No				
Anti-glare shield:	No	Dimmable:	Yes		
Product parameters					

Product parameters						
Parameter		Value	Parameter	Value		
General product parameters:						
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		43	Energy efficiency class	G		
Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		3 529 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 527		
On-mode power (P <sub>on</sub> ), expressed in W		43,0	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,00		
Networked standby power (P <sub>net</sub> ) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	93		
Outer dimensions without separate control gear, lighting control	Height	1 550	Spectral power distribution in the	See image		
	Width	35		in last page		
	Depth	35	range 250 nm to 800 nm, at full-load			

parts and non- lighting con- trol parts, if any (millime- tre)					
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-		
		Chromaticity coordi-	0,400		
		nates (x and y)	0,380		
Parameters for LED and OLED light sources:					
R9 colour rendering index value	66	Survival factor	0,90		
the lumen maintenance factor	0,94				

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 02/06/2022



**EPREL registration number:** 1270523 https://eprel.ec.europa.eu/qr/12

70523

Supplier: HAY Aps (Manufacturer) Website: www.hay.dk

**Customer care service:** 

Name: Cecilie Damsgaard Boye Website:

Email: cecilie.boye@hay.com Phone: +45 4282 0282

**Address:** 

Havnen 1 8700 Horsens Denmark