Product Information Sheet


COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light

sources						
Supplier's name or trade mark: INNR						
Supplier's address: Innr Servicedesk, Innr, IBRS 1232, 1200 WB, NL						
Model identifier: OSL 132 C spot						
Type of light source:						
Lighting technology used:		LED	Non-directional or directional:	DLS		
Light source cap-type		IP65 cable				
(or other electric interface)		and connector				
Mains or non-mains:		NMLS	Connected light source (CLS):	Yes		
Colour-tuneable light source:		Yes	Envelope:	-		
High luminance light source:		No				
Anti-glare shield:		No	Dimmable:	Only with spe- cific dimmers		
Product parameters						
Parameter		Value	Parameter	Value		
General product parameters:						
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		5	Energy efficiency class	G		
Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		290 in Nar- row cone (90°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	100010000		
On-mode power (P _{on}), expressed in W		4,7	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,20		
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		0,20	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	83		
Outer dimen-	Height	80	Spectral power dis-	See image		
sions without	Width	72	tribution in the range 250 nm to 800	in last page		
separate con- trol gear, light- Depth 60 range 250 nm to 800 nm, at full-load						

ing control parts and non-lighting control trol parts, if any (millimetre)						
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-			
		Chromaticity coordi-	0,457			
		nates (x and y)	0,429			
Parameters for directional light sources:						
Peak luminous intensity (cd)	251	Beam angle in degrees, or the range of beam angles that can be set	80			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	3	Survival factor	1,00			
the lumen maintenance factor	0,96					

(a)_{'-'}: not applicable;

(b)_{'-'} : not applicable;



Model placed on the Union market from 01/09/2023



EPREL registration number: 1382573 https://eprel.ec.europa.eu/qr/13

82573

Supplier: Innr Lighting B.V. (Manufacturer) Website: www.innr.com

Customer care service:

Name: Innr Servicedesk Website: www.innr.com

Email: service@innr.com Phone: +31357440388

Address:

Innr, IBRS 1232, 1200 WB, NL