

# Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

**Supplier's name or trade mark:** SELETTI SPA

**Supplier's address:** Responsabile acquisti, Via Codebruni Levante, 32 46019 Cicognara di Viadana (MN) Italy

**Model identifier:** 14841LW

## Type of light source:

|   |          |                                 |      |
|---|----------|---------------------------------|------|
| Lighting technology used:                           | LED      | Non-directional or directional: | NDLS |
| Light source cap-type (or other electric interface) | G9, 5VDC |                                 |      |
| Mains or non-mains:                                 | NMLS     | Connected light source (CLS):   | No   |
| Colour-tuneable light source:                       | No       | Envelope:                       | -    |
| High luminance light source:                        | No       |                                 |      |
| Anti-glare shield:                                  | No       | Dimmable:                       | No   |

## Product parameters

| Parameter | Value | Parameter | Value |
|-----------|-------|-----------|-------|
|-----------|-------|-----------|-------|


### General product parameters:

|  |                      |  |   |
|--|----------------------|--|---|
| Energy consumption in on-mode (kWh/1000 h), rounded up to the nearest integer  | 2                    | Energy efficiency class  | G   |
| Useful luminous flux ( $\phi_{use}$ ), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°) | 150 in Sphere (360°) | Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set | 2 500   |
| On-mode power ( $P_{on}$ ), expressed in W   | 2,0                  | Standby power ( $P_{sb}$ ), expressed in W and rounded to the second decimal   | 0,00  |
| Networked standby power ( $P_{net}$ ) for CLS, expressed in W and rounded to the second decimal  | -                    | Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set   | 80  |
| Outer dimensions without separate control gear, light-   | Height               | 87   | Spectral power distribution in the range 250 nm to 800 nm, at full-load |
|  | Width                | 69   |   |
|  | Depth                | 34   |   |
|  |                      |  | See image in last page  |


|   |      |                                    |                |
|---|------|------------------------------------|----------------|
| ing control parts and non-lighting control parts, if any (millimetre) |      |                                    |                |
| Claim of equivalent power <sup>(a)</sup>                              | -    | If yes, equivalent power (W)       | -              |
|   |      | Chromaticity coordinates (x and y) | 0,476<br>0,429 |
| <b>Parameters for LED and OLED light sources:</b>                     |      |                                    |                |
| R9 colour rendering index value                                       | -10  | Survival factor                    | 0,90           |
| the lumen maintenance factor  | 0,93 |                                    |                |

(a) : not applicable;

(b) : not applicable;



Model placed on the Union market from 01/11/2022



**EPREL registration number:** 1409363

<https://eprel.ec.europa.eu/qr/1409363>

**Supplier:** SELETTI S.p.A. (Importer)

**Website:**

**Customer care service:**

**Name:** Responsabile acquisti

**Website:** [www.seletti.it](http://www.seletti.it)

**Email:** [alberto.gozzi@seletti.it](mailto:alberto.gozzi@seletti.it)

**Phone:** 037588561

**Address:**

Via Codebruni Levante, 32  
46019 Cicognara di Viadana (MN) Italy