
## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Sources							
Supplier's name or trade mark: HAY							
Supplier's address: HAY, Havnen 1, DK							
Model identifier: LBM Corner Lamp							
Type of light source:							
Lighting technology used:		LED	Non-directional or directional:	NDLS			
Light source cap-type		Integrated LED					
(or other electri	c interface)						
Mains or non-mains:		NMLS	Connected light source (CLS):	No			
Colour-tuneable light source:		No	Envelope:	-			
High luminance light source:		No					
Anti-glare shield:		No	Dimmable:	Only with spe- cific dimmers			
Product parameters							
Parameter		Value	Parameter	Value			
General product parameters:							
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		8	Energy efficiency class	F			
Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		850 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000			
On-mode power (P <sub>on</sub> ), expressed in W		8,4	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,00			
Networked standby power (P <sub>net</sub> ) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	92			
Outer dimen-	Height	250	Spectral power dis-	See image			
sions without	Width	250	tribution in the	in last page			
separate con- trol gear, light-	Depth	250	range 250 nm to 800 nm, at full-load				

ing control parts and non-lighting control parts, if any (millimetre)						
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-			
		Chromaticity coordi-	0,443			
		nates (x and y)	0,397			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	50	Survival factor	0,90			
the lumen maintenance factor	0,96					

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 24/11/2022



**EPREL registration number:** 1420509 https://eprel.ec.europa.eu/qr/14

20509

Supplier: HAY Aps (Manufacturer) Website: www.hay.dk

**Customer care service:** 

Name: HAY Website:

Email: Pia.Westergreen@hay.com Phone: +45 4282 0282

Address: Havnen 1 Denmark