
Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

sources						
Supplier's name or trade mark: Lumonic						
Supplier's address: Product Management, Albert-Pröller-Straße 11, 86675 Buchdorf, DE						
Model identifier: IT-005105 - LED Streifen 12V, 50cm, 60LED/m, IP65 - yellow						
Type of light source:						
Lighting technology used:		LED	Non-directional or directional:	NDLS		
Light source cap-type (or other electric interface)		Wire				
Mains or non-mains:		NMLS	Connected light source (CLS):	No		
Colour-tuneable light source:		No	Envelope:	-		
High luminance light source:		No				
Anti-glare shield:		No	Dimmable:	Only with spe- cific dimmers		
Product parameters						
Parameter		Value	Parameter	Value		
General product parameters:						
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		1	Energy efficiency class	G		
Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		100 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000		
On-mode power (P _{on}), expressed in W		1,8	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,50		
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	80		
Outer dimen-	Height	4	Spectral power dis-	See image		
sions without separate con- trol gear, light-	Width Depth	500	tribution in the range 250 nm to 800 nm, at full-load	in last page		

ing control parts and non-lighting control parts, if any (millimetre)						
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-			
		Chromaticity coordi-	0,400			
		nates (x and y)	0,400			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	1	Survival factor	0,90			
the lumen maintenance factor	0,90					

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 17/12/2015



EPREL registration number: 1636788 https://eprel.ec.europa.eu/qr/16

36788

Supplier: IT-Tronics GmbH (Manufacturer) Website: www.it-tronics.de

Customer care service:

Name: Product Management Website: www.it-tronics.de

Email: support@it-tronics.de Phone: +49 9099 9988010

Address:

Albert-Pröller-Straße 11

86675 Buchdorf

Germany