Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: UMAGE

Supplier's address: UMAGE ApS, Havnegade 29, 1058 Copenhagen, DK

Model identifier: 2277 (light-source)

Type of light source:

Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type	Custom LED PCB DC 12V, 1A MAX		
(or other electric interface)			
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	Only with spe- cific dimmers


Product parameters

Parameter Parameter Value Value **General product parameters:** Energy consumption in on-9 Energy efficiency F mode (kWh/1000 h), rounded class up to the nearest integer Useful luminous flux (duse), in-972 in Correlated colour 2 600 dicating if it refers to the flux in Sphere (360°) temperature, a sphere (360°), in a wide cone rounded to the nearest 100 K, or the (120°) or in a narrow cone (90°) range of correlated colour temperatures, rounded to the nearest 100 K, that can be set 0,00 On-mode power (P_{on}), 8,8 Standby power (P_{sb}), expressed in W expressed in W and rounded to the second decimal Colour rendering in-90 Networked standby power (P_{net}) for CLS, expressed in W dex, rounded to the and rounded to the second decnearest integer, or the range of CRI-valimal ues that can be set Outer dimen-139 Spectral power dis-See image Height sions without tribution in the in last page Width 139 separate conrange 250 nm to 800 2 Depth trol gear, lightnm, at full-load

Parameters for LED and OLED light sources:R9 colour rendering index value42Survival factor0,90	ing control parts and non- lighting con- trol parts, if any (millime- tre) Claim of equivalent power ^(a)	-	If yes, equivalent power (W) Chromaticity coordi-	0,463
R9 colour rendering index value42Survival factor0,90	Parameters for LED and OLED lis	the sources:	nates (x and y)	0,420
the lumen maintenance factor 0.96	R9 colour rendering index value	42	Survival factor	0,90
	the lumen maintenance factor	0,96		

(a)'-' : not applicable;

(b)_{'-'} : not applicable;



Model placed on the Union market from 04/10/2023



EPREL registration number: 1762731

Supplier: UMAGE ApS (Manufacturer)

Customer care service:

Name: UMAGE ApS

Email: info@umage.com

Address: Havnegade 29 1058 Copenhagen Denmark https://eprel.ec.europa.eu/qr/17 62731

Website: www.umage.com

Website: www.umage.com

Phone: +45 31 39 31 31