

# Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

**Supplier's name or trade mark:** Lucide

**Supplier's address:** Lucide NV, Bisschoppenhoflaan 145, 2100 Deurne, BE

**Model identifier:** 77289-03-31

## Type of light source:

|   |                                       |                                 |     |
|---|---------------------------------------|---------------------------------|-----|
| Lighting technology used:                           | LED                                   | Non-directional or directional: | DLS |
| Light source cap-type (or other electric interface) | rechargeable integrated LED wall lamp |                                 |     |
| Mains or non-mains:                                 | NMLS                                  | Connected light source (CLS):   | Yes |
| Colour-tuneable light source:                       | No                                    | Envelope:                       | -   |
| High luminance light source:                        | No                                    |                                 |     |
| Anti-glare shield:                                  | No                                    | Dimmable:                       | No  |


## Product parameters

| Parameter   | Value                             | Parameter  | Value   |
|---|-----------------------------------|--|---|
| <b>General product parameters:</b>  |                                   |  |   |
| Energy consumption in on-mode (kWh/1000 h), rounded up to the nearest integer   | 2                                 | Energy efficiency class  | F   |
| Useful luminous flux ( $\phi_{use}$ ), indicating if it refers to the flux in a sphere ( $360^\circ$ ), in a wide cone ( $120^\circ$ ) or in a narrow cone ( $90^\circ$ ) | 160 in Narrow cone ( $90^\circ$ ) | Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set | 3 000   |
| On-mode power ( $P_{on}$ ), expressed in W  | 2,0                               | Standby power ( $P_{sb}$ ), expressed in W and rounded to the second decimal   | 0,00  |
| Networked standby power ( $P_{net}$ ) for CLS, expressed in W and rounded to the second decimal   | 0,00                              | Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set   | 80  |
| Outer dimensions without separate control gear, light-  | Height                            | 110  | Spectral power distribution in the range 250 nm to 800 nm, at full-load |
|   | Width                             | 360  |   |
|   | Depth                             | 110  |   |
|   |                                   |  | See image in last page  |

|   |      |  |                |
|---|------|--|----------------|
| ing control parts and non-lighting control parts, if any (millimetre) |      |  |                |
| Claim of equivalent power <sup>(a)</sup>                              | -    | If yes, equivalent power (W)                                       | -              |
|   |      | Chromaticity coordinates (x and y)                                 | 0,417<br>0,392 |
| <b>Parameters for directional light sources:</b>                      |      |  |                |
| Peak luminous intensity (cd)  | 769  | Beam angle in degrees, or the range of beam angles that can be set | 120            |
| <b>Parameters for LED and OLED light sources:</b>                     |      |  |                |
| R9 colour rendering index value                                       | 19   | Survival factor  | 0,90           |
| the lumen maintenance factor  | 0,95 |  |                |

(a) : not applicable;

(b) : not applicable;



Model placed on the Union market from 10/11/2023



**EPREL registration number:** 1841016

<https://eprel.ec.europa.eu/qr/1841016>

**Supplier:** Lucide (Importer)

**Website:** [www.lucide.be](http://www.lucide.be)

**Customer care service:**

**Name:** Lucide NV

**Website:** [www.lucide.com](http://www.lucide.com)

**Email:** [info@lucide.com](mailto:info@lucide.com)

**Phone:** +3233662204

**Address:**

Bisschoppenhoflaan 145  
2100 Deurne  
Belgium