Product Information Sheet


COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

sources			
Supplier's name or trade mark:	UMAGE		
Supplier's address: UMAGE ApS	, Havnegade 29, 10	58 Copenhagen, DK	
Model identifier: 2561 (light-sou	urce)		
Type of light source:			
Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type	LED strip		
(or other electric interface)			
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	Only with spe- cific dimmers
	Product para	meters	
Parameter	Value	Parameter	Value
	General product p	parameters:	
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer	24	Energy efficiency class	E
Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	3 322 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the	2 400 or 2 700 or 3 000

mode (kWh/10 up to the neare	00 h), rounded st integer		class	
dicating if it refe a sphere (360º)	s flux (фuse), in- ers to the flux in , in a wide cone errow cone (90º)	3 322 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 400 or 2 700 or 3 000
On-mode pow pressed in W	ver (P _{on}), ex-	23,6	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00
(P _{net}) for CLS, 6	andby power expressed in W the second dec-	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	92
Outer dimen-	Height	8	Spectral power dis-	See image
sions without	Width	1 340	tribution in the	in last page
separate con- trol gear, light-	Depth	1	range 250 nm to 800 nm, at full-load	

ing control parts and non-lighting control parts, if any (millimetre)						
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-			
		Chromaticity coordi-	0,438			
		nates (x and y)	0,401			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	62	Survival factor	0,90			
the lumen maintenance factor	0,96					

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 14/07/2024



EPREL registration number: 1990483 https://eprel.ec.europa.eu/qr/19

90483

Supplier: UMAGE ApS (Manufacturer) Website: www.umage.com

Customer care service:

Name: UMAGE ApS Website: www.umage.com

Address:

Havnegade 29 1058 Copenhagen

Denmark