Product Information Sheet

trol gear, light-


COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light

sources		, , ,	, and the second	5, 5			
Supplier's name	e or trade mark:	UMAGE					
Supplier's address: UMAGE ApS, Havnegade 29, 1058 Copenhagen, DK							
Model identifie	r: 2568 (light-sou	urce)					
Type of light so	urce:						
Lighting technology used:		LED	Non-directional or directional:	NDLS			
Light source cap-type		LED strip					
(or other electric interface)							
Mains or non-mains:		NMLS	Connected light source (CLS):	No			
Colour-tuneable light source:		No	Envelope:	-			
High luminance light source:		No					
Anti-glare shield:		No	Dimmable:	Only with spe- cific dimmers			
Product parameters							
Parameter		Value	Parameter	Value			
		General product p	parameters:				
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		24	Energy efficiency class	E			
Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		3 322 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 400 or 2 700 or 3 000			
On-mode power (P _{on}), ex- pressed in W		23,6	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00			
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	92			
Outer dimen-	Height	8	Spectral power dis-	See image			
sions without separate con-	Width Depth	1 340 1	tribution in the range 250 nm to 800	in last page			

nm, at full-load

ing control parts and non-lighting control parts, if any (millimetre)						
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-			
		Chromaticity coordi-	0,438			
		nates (x and y)	0,401			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	62	Survival factor	0,90			
the lumen maintenance factor	0,96					

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 14/07/2024



EPREL registration number: 1990517 https://eprel.ec.europa.eu/qr/19

90517

Supplier: UMAGE ApS (Manufacturer) Website: www.umage.com

Customer care service:

Name: UMAGE ApS Website: www.umage.com

Address:

Havnegade 29 1058 Copenhagen

Denmark