## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: SYLVANIA

Supplier's address: Product Compliance, Feilo Sylvania International Group Kft. Duna Tower -

Building B, 3rd Floor, Népfürdö Street 22, Budapest H-1138 Hungary

Mode	l identifie	r: 0030781
------	-------------	------------

Type of light	source:
---------------	---------

Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type	G9		
(or other electric interface)			
Mains or non-mains:	MLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	No


## Product parameters

Product parameters					
Parameter		Value	Parameter	Value	
	General product parameters:				
<u> </u>	mption in on- 00 h), rounded st integer	3	Energy efficiency class	F	
dicating if it refe a sphere (360º)	s flux (φuse), in- ers to the flux in , in a wide cone arrow cone (90º)	250 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 700	
On-mode pow pressed in W	ver (P <sub>on</sub> ), ex-	2,3	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,00	
Networked standby power (P <sub>net</sub> ) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80	
Outer dimen-	Height	53	Spectral power dis-	See image	
sions without	Width	15	tribution in the	in last page	
separate control gear, light-	Depth	15	range 250 nm to 800 nm, at full-load		

ing control parts and non-lighting control parts, if any (millimetre)				
Claim of equivalent power <sup>(a)</sup>		Yes	If yes, equivalent power (W)	25
			Chromaticity coordi-	0,458
			nates (x and y)	0,410
Parameters for	LED and OLED lig	ht sources:		
R9 colour rende	R9 colour rendering index value 1 Survival factor 0,90			
the lumen maintenance factor		0,93		
Parameters for LED and OLED mains light sources:				
displacement fa	ctor (cos φ1)	0,50	Colour consistency in McAdam ellipses	6
Claims that an I replaces a flu source without last of a particul	orescent light integrated bal-	_(b)	If yes then replace- ment claim (W)	-
Flicker metric (P	st LM)	1,0	Stroboscopic effect metric (SVM)	0,4

(a)<sub>'-'</sub> : not applicable;

(b)<sub>'-'</sub> : not applicable;



Model placed on the Union market from 13/06/2024



EPREL registration number: 2017838 <a href="https://eprel.ec.europa.eu/qr/20">https://eprel.ec.europa.eu/qr/20</a>

17838

Supplier: Feilo Sylvania International Group Kft. (Manufac Website: www.sylvania-lighting.com

turer)

**Customer care service:** 

Name: Product Compliance Website: www.sylvania-lighting.com

Email: product.compliance@sylvania-lighting.com Phone: +36 1 88 05 900

Address:

Feilo Sylvania International Group Kft. Duna Tower - Building B, 3rd Floor,

Népfürdö Street 22,

Budapest H-1138 Hungary