

# Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

**Supplier's name or trade mark:** LOOM Design

**Supplier's address:** Main Office, Lilleringvej 30, 8462 Aarhus Harlev, DK

**Model identifier:** 851-002

## Type of light source:

Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type (or other electric interface)	LED		
Mains or non-mains:	NMLS	Connected light source (CLS):	Yes
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	Only with specific dimmers

## Product parameters

Parameter	Value	Parameter	Value
-----------	-------	-----------	-------

### General product parameters:

Energy consumption in on-mode (kWh/1000 h), rounded up to the nearest integer	21	Energy efficiency class	G
Useful luminous flux ( $\phi_{use}$ ), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	832 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 734
On-mode power ( $P_{on}$ ), expressed in W	21,0	Standby power ( $P_{sb}$ ), expressed in W and rounded to the second decimal	0,00
Networked standby power ( $P_{net}$ ) for CLS, expressed in W and rounded to the second decimal	0,00	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	92
Outer dimensions without separate control gear, light-	Height	1	Spectral power distribution in the range 250 nm to 800 nm, at full-load
	Width	10	
	Depth	11	
			See image in last page

ing control parts and non-lighting control parts, if any (millimetre)			
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-
		Chromaticity coordinates (x and y)	0,457 0,410
<b>Parameters for LED and OLED light sources:</b>			
R9 colour rendering index value	56	Survival factor	0,98
the lumen maintenance factor	0,97		

(a) : not applicable;


(b) : not applicable;

# LED Test Report

**Product Mark**

Product Type : admin  
 Temperature : 25'C  
 Operator : admin  
 Remark:

Manufacturer : admin  
 Humidity : 65%  
 Test Date : 2024-01-29 10:56:33



**Chroma Parameters**

Chro. Coord.: x=0.4572 y=0.4102 u=0.2610 v=0.3512 duv=0.0001  
 CCT: 2734K Dominant Wave.: 584.0nm Purity: 60.4%  
 Flux RGB Ratio: R=26.3%, G=72.2%, B=1.6% Peak Wave: 620.7nm Half Width: 139.6nm

**Rendering Index: Ra= 92.7**

R1 =93 R2 =98 R3 =98 R4 =93 R5 =94 R6 =97 R7 =90 R8 =79  
 R9 =56 R10=94 R11=95 R12=84 R13=94 R14=100 R15=88

**Photo Parameters**

Flux: 832.79lm Effi.: 39.0lm/W Radiant: 2749.0mW Iv: 0.0mcd  
 Efficiency: 0.323 Effi Level: B (IEC 62471-2:2012)


**Ele. Parameters**

Voltage: U=197.600V Current: I=0.1090A  
 Power: P=21.37W Power Factor: PF=0.984

**Instrument state**

Instrument: Hopoo HP8000 Integral Time: 135.370ms VPeak: 13702  
 VDark: 1123 Scan Range: 380-780nm Product ID: 201410718

Model placed on the Union market from 01/04/2024



**EPREL registration number:** 2024730

<https://eprel.ec.europa.eu/qr/2024730>

**Supplier:** Lampefeber A/S (Importer)

**Website:** [www.lampefeber.com](http://www.lampefeber.com)

**Customer care service:**

**Name:** Main Office

**Website:** [www.loom-design.com](http://www.loom-design.com)

**Email:** [mail@lampefeber.com](mailto:mail@lampefeber.com)

**Phone:** +4586361722

**Address:**

Lilleringvej 30  
8462 Harlev  
Denmark