

Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: LOOM Design

Supplier's address: Main Office, Lilleringvej 30, 8462 Aarhus Harlev, DK

Model identifier: 824-006

Type of light source:

Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type (or other electric interface)	CLS		
Mains or non-mains:	NMLS	Connected light source (CLS):	Yes
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	Only with specific dimmers

Product parameters

Parameter	Value	Parameter	Value
-----------	-------	-----------	-------

General product parameters:


Energy consumption in on-mode (kWh/1000 h), rounded up to the nearest integer	30	Energy efficiency class	G
Useful luminous flux (ϕ_{use}), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	2 050 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 700
On-mode power (P_{on}), expressed in W	32,0	Standby power (P_{sb}), expressed in W and rounded to the second decimal	0,00
Networked standby power (P_{net}) for CLS, expressed in W and rounded to the second decimal	0,00	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	90
Outer dimensions without separate control gear, light-	Height	25	Spectral power distribution in the range 250 nm to 800 nm, at full-load
	Width	2 000	
	Depth	25	
			See image in last page

ing control parts and non-lighting control parts, if any (millimetre)			
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-
		Chromaticity coordinates (x and y)	0,455 0,407
Parameters for LED and OLED light sources:			
R9 colour rendering index value	58	Survival factor	0,98
the lumen maintenance factor	0,97		

(a) : not applicable;

(b) : not applicable;

Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.4553$ $y=0.4079/u'=0.2607$ $v'=0.5256$
 CCT=2750K(Duv=-0.0006) Dominant WL:Ld =584.2nm WL:Lc = --nm Purity=59.1%
 Ratio:R=25.6% G=72.3% B=2.0% Peak WL:Lp=624.7nm FWHM=154.7nm
 Render Index:Ra=89.7 AvgR=86.2 TM30:Rf=88 Rg=102

R1 =90 R2 =93 R3 =93 R4 =90 R5 =89 R6 =90 R7 =92
 R8 =81 R9 =58 R10=82 R11=89 R12=75 R13=90 R14=95 R15=87

Photo Parameters:

Flux = 2052 lm Eff. : 67.36 lm/W Fe = 5.511 W

Electrical parameters:


V = 219.43 V I = 0.1078 A P = 30.46 W PF = 0.9657
 LEVEL:OUT WHITE:ANSI_2700K
 Status: Integral T = 110 ms Ip = 39025 (61%)

GBT5702

Model:8007
 Tester: 潭玉珠
 Temperature:25.3Deg
 Manufacturer:石客照明

Number:30W-2700K
 Date:2023-09-16 10:43:42
 Humidity:65.0%
 Remarks:

Model placed on the Union market from 09/10/2024



EPREL registration number: 2164801

<https://eprel.ec.europa.eu/qr/2164801>

Supplier: Lampefeber A/S (Importer)

Website: www.lampefeber.com

Customer care service:

Name: Main Office

Website: www.loom-design.com

Email: mail@lampefeber.com

Phone: +4586361722

Address:

Lilleringvej 30
8462 Harlev
Denmark