

Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: Globo Handels GmbH

Supplier's address: GLOBO Handels GmbH, Gewerbestraße 3, 9184 St. Peter, AT

Model identifier: 41785

Type of light source:

Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type (or other electric interface)	LED		
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	No

Product parameters

Parameter	Value	Parameter	Value
General product parameters:			
Energy consumption in on-mode (kWh/1000 h), rounded up to the nearest integer	30	Energy efficiency class	E
Useful luminous flux (ϕ_{use}), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	3 900 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	4 000
On-mode power (P_{on}), expressed in W	29,5	Standby power (P_{sb}), expressed in W and rounded to the second decimal	0,50
Networked standby power (P_{net}) for CLS, expressed in W and rounded to the second decimal	-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	81
Outer dimensions without separate control gear, lighting control	Height	500	Spectral power distribution in the range 250 nm to 800 nm, at full-load
	Width	7	
	Depth	1	
			See image in last page

parts and non-lighting control parts, if any (millimetre)			
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-
		Chromaticity coordinates (x and y)	0,380 0,380
Parameters for LED and OLED light sources:			
R9 colour rendering index value	1	Survival factor	0,90
the lumen maintenance factor	0,95		

(a) : not applicable;

(b) : not applicable;

Spectral test report for lamp


Product type : C02227-30A-W11LED 4000K
 Product No. : 41785
 Manufacturer : TAVIC

Test time : 2025/3/29 14:48:00
 Test equipment : SPEC-3000A Spectrometer
 Operator : 蒋**

CIE Color Parameter

Chromaticity coordinates: $x=0.3785$ $y=0.3862$ $u=0.2201$ $v=0.3369$ $u^*=0.2201$ $v^*=0.5054$
 Color temperature: 4120 K ($duv=+0.00495$) Color difference: SDCM(IEC/F4000)=3.9 Main Wl: $\lambda_d=486.3$ nm Purity: 0.169
 Peak wavelength: $\lambda_p=585.5$ FWHM: $\Delta\lambda_p=148.8$ nm Color ratio: R=0.188 G=0.780 B=0.032

Color rendering index: Ra=80.91 Color Fidelity: Rf=83.77 Color Gamut Rg=93.47 GAI=85.36
 R1=78.2 R2=86.4 R3=93.5 R4=79.9 R5=78.1 R6=81.3 R7=86.9 R8=63.0
 R9=0.2 R10=68.0 R11=77.8 R12=57.6 R13=80.7 R14=96.4 R15=71.6



Optical Parameter

Luminous flux: 3910.38 lm
 Energy efficiency index (EEI): 139.293
 MOVE=3764.075 MES1=3332.765

luminous efficiency: 139.29 lm/w Radiant flux: 11.709 W
 Energy efficiency class: D (EU 2019/2015) (EU 874)

Electrical Parameter

Voltage(V): 37.435 Current(A): 0.7499 Watte(W): 28.073 Power factor: 1.0000

Test Information


Temperature : Deg C
 Test range : 350-800nm : 1nm
 Preheat time : 0.1(min)

Humidity :
 Peak AD. : 37104 (56.6%)
 Integral time. : 246.06 (ms)

MEASUREFINE

Hangzhou Hui pu Instrument Co., Ltd. <http://www.measurefine.com>

Model placed on the Union market from 19/04/2025



EPREL registration number: 2381032

<https://eprel.ec.europa.eu/qr/2381032>

Supplier: Globo Handels GmbH (Importer)

Website:

Customer care service:

Name: GLOBO Handels GmbH

Website:

Email: office@globo-lighting.com

Phone: +43425332050

Address:

Gewerbestraße 3
9184 St. Peter
Austria