Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: SYLVANIA

Supplier's address: Product Compliance, Feilo Sylvania International Group Kft. Duna Tower -Building B, 3rd Floor, Népfürdö Street 22, Budapest H-1138 Hungary

Model identifier: 0029333

Type of light source:


Lighting technology used:	LED	Non-directional or directional:	NDLS			
Light source cap-type	E27					
(or other electric interface)						
Mains or non-mains:	MLS	Connected light source (CLS):	No			
Colour-tuneable light source:	No	Envelope:	-			
High luminance light source:	No					
Anti-glare shield:	No	Dimmable:	No			
Product parameters						

Parameter		Value	Parameter	Value		
General product parameters:						
0,	nption in on- 00 h), rounded st integer	11	Energy efficiency class	D		
dicating if it refe a sphere (360°)	s flux (φuse), in- ers to the flux in , in a wide cone mrow cone (90º)	1 521 in Sphere (360°)	Correlated colour temperature, rounded to the near- est 100 K, or the range of correlat- ed colour temper- atures, rounded to the nearest 100 K, that can be set	2 700		
On-mode pow pressed in W	ver (P _{on}), ex-	11,0	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00		
(P _{net}) for CLS, e	andby power expressed in W the second dec-	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80		
Outer dimen-	Height	126	Spectral power dis-	See image		
sions without	Width	70	tribution in the	in last page		
separate con- trol gear, light-	Depth	70	range 250 nm to 800 nm, at full-load			

ing control parts and non- lighting con- trol parts, if any (millime- tre)						
Claim of equivalent pov	ver ^(a) Ye	s If yes, equivalent power (W)	t 100			
		Chromaticity coordi-	- 0,458			
		nates (x and y)	0,410			
Parameters for LED and OLED light sources:						
R9 colour rendering ind	ex value 1	Survival factor	1,00			
the lumen maintenance	e factor 0,9	4				
Parameters for LED and OLED mains light sources:						
displacement factor (cc	s φ1) 0,7	0 Colour consistency in McAdam ellipses	/ 6			
Claims that an LED ligh replaces a fluoresce source without integra last of a particular watt	nt light ted bal-) If yes then replace ment claim (W)				
Flicker metric (Pst LM)	1,0) Stroboscopic effect metric (SVM)	t 0,4			

(a)_{'-'} : not applicable;

(b)'-' : not applicable;



Model placed on the Union market from 09/07/2021 https://eprel.ec.europa.eu/qr/542827 EPREL registration number: 542827 Supplier: Feilo Sylvania International Group Kft. (Manufac Website: www.sylvania-lighting.com turer) **Customer care service:** Name: Product Compliance Website: www.sylvania-lighting.com Email: product.compliance@sylvania-lighting.com Phone: +36 1 88 05 900 Address: Feilo Sylvania International Group Kft. Duna Tower - Building B, 3rd Floor, Népfürdö Street 22, **Budapest** H-1138 Hungary