## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: SYLVANIA

Supplier's address: Product Compliance, Feilo Sylvania International Group Kft. Duna Tower -

Building B, 3rd Floor, Népfürdö Street 22, Budapest H-1138 Hungary

		0000040
Model	identifier:	11111111111
IVIOUCI	iuciilici.	0023342

Type of	light	source:
---------	-------	---------


Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type	E27		
(or other electric interface)			
Mains or non-mains:	MLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	No

Product parameters					
Parameter		Value	Parameter	Value	
	General product parameters:				
0,	mption in on- 00 h), rounded st integer	5	Energy efficiency class	F	
dicating if it refe a sphere (360º)	s flux (фuse), in- ers to the flux in , in a wide cone arrow cone (90º)	400 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 700	
On-mode pov pressed in W	ver (P <sub>on</sub> ), ex-	4,5	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,00	
Networked standby power (P <sub>net</sub> ) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80	
Outer dimen-	Height	108	Spectral power dis-	See image	
sions without	Width	60	tribution in the	in last page	
separate con- trol gear, light-	Depth	60	range 250 nm to 800 nm, at full-load		

ing control parts and non-lighting control parts, if any (millimetre)					
Claim of equival	ent power <sup>(a)</sup>	Yes	If yes, equivalent power (W)	35	
			Chromaticity coordi-	0,458	
			nates (x and y)	0,410	
Parameters for LED and OLED light sources:					
R9 colour render	ring index value	1	Survival factor	1,00	
the lumen maintenance factor		0,94			
Parameters for I	Parameters for LED and OLED mains light sources:				
displacement fac	ctor (cos ф1)	0,70	Colour consistency in McAdam ellipses	6	
Claims that an L replaces a flu source without last of a particula	orescent light integrated bal-	_(b)	If yes then replace- ment claim (W)	-	
Flicker metric (P	st LM)	1,0	Stroboscopic effect metric (SVM)	0,4	

(a)<sub>'-'</sub> : not applicable;

(b)<sub>'-'</sub> : not applicable;



Model placed on the Union market from 09/07/2021



**EPREL registration number:** 542836 https://eprel.ec.europa.eu/qr/542836

Supplier: Feilo Sylvania International Group Kft. (Manufac Website: www.sylvania-lighting.com

turer)

**Customer care service:** 

Name: Product Compliance Website: www.sylvania-lighting.com

Email: product.compliance@sylvania-lighting.com Phone: +36 1 88 05 900

Address:

Feilo Sylvania International Group Kft. Duna Tower - Building B, 3rd Floor,

Népfürdö Street 22,

Budapest H-1138 Hungary