## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: SYLVANIA

Supplier's address: Product Compliance, Feilo Sylvania International Group Kft. Duna Tower -

Building B, 3rd Floor, Népfürdö Street 22, Budapest H-1138 Hungary

Model	identifier:	0029220
-------	-------------	---------

Type	of lig	ht s	ource:
------	--------	------	--------


LED	Non-directional or directional:	DLS
GU5.3		
NMLS	Connected light source (CLS):	No
No	Envelope:	-
No		
No	Dimmable:	Yes
	GU5.3  NMLS  No  No	directional:  GU5.3  NMLS  Connected light source (CLS):  No  Envelope:  No

Product parameters				
Parameter	Parameter		Parameter	Value
		General product p	arameters:	
Energy consur mode (kWh/10 up to the neares	00 h), rounded	6	Energy efficiency class	F
Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		480 in Nar- row cone (90°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	4 000
On-mode pow pressed in W	ver (P <sub>on</sub> ), ex-	5,8	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,00
Networked standby power (P <sub>net</sub> ) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80
Outer dimen-	Height	44	Spectral power dis-	See image
sions without	Width	50	tribution in the	in last page
separate con- trol gear, light-	Depth	50	range 250 nm to 800 nm, at full-load	

ing control parts and non-lighting control trol parts, if any (millimetre)			
Claim of equivalent power <sup>(a)</sup>	Yes	If yes, equivalent power (W)	40
		Chromaticity coordi-	0,382
		nates (x and y)	0,380
Parameters for directional light	sources:		
Peak luminous intensity (cd)	1 100	Beam angle in degrees, or the range of beam angles that can be set	36
Parameters for LED and OLED light sources:			
R9 colour rendering index value	1	Survival factor	1,00
the lumen maintenance factor	0,97		

(a)<sub>'-'</sub>: not applicable;

(b)<sub>'-'</sub> : not applicable;



Model placed on the Union market from 20/07/2021



**EPREL registration number:** 543132 https://eprel.ec.europa.eu/qr/543132

Supplier: Feilo Sylvania International Group Kft. (Manufac Website: www.sylvania-lighting.com

turer)

**Customer care service:** 

Name: Product Compliance Website: www.sylvania-lighting.com

Email: product.compliance@sylvania-lighting.com Phone: +36 1 88 05 900

Address:

Feilo Sylvania International Group Kft. Duna Tower - Building B, 3rd Floor,

Népfürdö Street 22,

Budapest H-1138 Hungary