## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

## Supplier's name or trade mark: SYLVANIA

**Supplier's address:** Product Compliance, Feilo Sylvania International Group Kft. Duna Tower -Building B, 3rd Floor, Népfürdö Street 22, Budapest H-1138 Hungary

## Model identifier: 0029222

## Type of light source:


| Lighting technology used:     | LED   | Non-directional or directional: | DLS |  |  |
|-------------------------------|-------|---------------------------------|-----|--|--|
| Light source cap-type         | GU5.3 |                                 |     |  |  |
| (or other electric interface) |       |                                 |     |  |  |
| Mains or non-mains:           | NMLS  | Connected light source (CLS):   | No  |  |  |
| Colour-tuneable light source: | No    | Envelope:                       | -   |  |  |
| High luminance light source:  | No    |                                 |     |  |  |
| Anti-glare shield:            | No    | Dimmable:                       | Yes |  |  |
| Product parameters            |       |                                 |     |  |  |

| Parameter                              |   | Value                         | Parameter  | Value        |  |  |
|--|---|-------------------------------|--|--------------|--|--|
| General product parameters:            |   |                               |  |              |  |  |
| 0,                                     | nption in on-<br>00 h), rounded<br>st integer                                   | 8                             | Energy efficiency<br>class   | F            |  |  |
| dicating if it refe<br>a sphere (360°) | s flux (фuse), in-<br>ers to the flux in<br>, in a wide cone<br>nrow cone (90º) | 621 in Nar-<br>row cone (90°) | Correlated colour<br>temperature,<br>rounded to the near-<br>est 100 K, or the<br>range of correlat-<br>ed colour temper-<br>atures, rounded to<br>the nearest 100 K,<br>that can be set | 2 700        |  |  |
| On-mode pow<br>pressed in W            | ver (P <sub>on</sub> ), ex-   | 7,5                           | Standby power (P <sub>sb</sub> ),<br>expressed in W and<br>rounded to the sec-<br>ond decimal  | 0,00         |  |  |
| ( $P_{net}$ ) for CLS, e               | andby power<br>expressed in W<br>the second dec-                                | -                             | Colour rendering in-<br>dex, rounded to the<br>nearest integer, or<br>the range of CRI-val-<br>ues that can be set   | 80           |  |  |
| Outer dimen-                           | Height  | 44                            | Spectral power dis-  | See image    |  |  |
| sions without                          | Width   | 50                            | tribution in the   | in last page |  |  |
| separate con-<br>trol gear, light-     | Depth   | 50                            | range 250 nm to 800<br>nm, at full-load  |              |  |  |

| ing control<br>parts and non-<br>lighting con-<br>trol parts, if<br>any (millime-<br>tre) |       |   |                |  |  |  |
|---|-------|---|----------------|--|--|--|
| Claim of equivalent power <sup>(a)</sup>  | Yes   | If yes, equivalent power (W)  | 50             |  |  |  |
|   |       | Chromaticity coordi-<br>nates (x and y)                                       | 0,458<br>0,410 |  |  |  |
| Parameters for directional light sources:   |       |   |                |  |  |  |
| Peak luminous intensity (cd)  | 1 000 | Beam angle in de-<br>grees, or the range<br>of beam angles that<br>can be set | 36             |  |  |  |
| Parameters for LED and OLED light sources:  |       |   |                |  |  |  |
| R9 colour rendering index value   | 1     | Survival factor   | 1,00           |  |  |  |
| the lumen maintenance factor  | 0,97  |   |                |  |  |  |
| (a), L, not emplicable.   |       | · · · ·   |                |  |  |  |

(a)'-' : not applicable;

(b)'-' : not applicable;



Model placed on the Union market from 20/07/2021 EPREL registration number: 543134 https://eprel.ec.europa.eu/qr/543134 Supplier: Feilo Sylvania International Group Kft. (Manufac Website: www.sylvania-lighting.com turer) **Customer care service:** Name: Product Compliance Website: www.sylvania-lighting.com Email: product.compliance@sylvania-lighting.com Phone: +36 1 88 05 900 Address: Feilo Sylvania International Group Kft. Duna Tower - Building B, 3rd Floor, Népfürdö Street 22, **Budapest** H-1138 Hungary