# **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

### Supplier's name or trade mark: OSRAM

Supplier's address: LEDVANCE GmbH, Parkring 33, Garching, Germany

#### Model identifier: AC34089

# Type of light source:


| Lighting technology used:     | other FL | Non-directional or directional: | NDLS |  |  |
|-------------------------------|----------|---------------------------------|------|--|--|
| Light source cap-type         | G13      |                                 |      |  |  |
| (or other electric interface) |          |                                 |      |  |  |
| Mains or non-mains:           | NMLS     | Connected light source (CLS):   | No   |  |  |
| Colour-tuneable light source: | No       | Envelope:                       | -    |  |  |
| High luminance light source:  | No       |                                 |      |  |  |
| Anti-glare shield:            | No       | Dimmable:                       | Yes  |  |  |
| Product parameters            |          |                                 |      |  |  |

| Parameter  |  | Value                     | Parameter  | Value        |  |  |
|--|--|---------------------------|--|--------------|--|--|
| General product parameters:  |  |                           |  |              |  |  |
| • ·  | nption in on-<br>00 h), rounded<br>st integer                                    | 19                        | Energy efficiency<br>class   | G            |  |  |
| dicating if it refe<br>a sphere (360º)                             | s flux (фuse), in-<br>ers to the flux in<br>, in a wide cone<br>arrow cone (90º) | 1 300 in<br>Sphere (360°) | Correlated colour<br>temperature,<br>rounded to the near-<br>est 100 K, or the<br>range of correlat-<br>ed colour temper-<br>atures, rounded to<br>the nearest 100 K,<br>that can be set | 2 700        |  |  |
| On-mode pov<br>pressed in W  | ver (P <sub>on</sub> ), ex-  | 18,8                      | Standby power (P <sub>sb</sub> ),<br>expressed in W and<br>rounded to the sec-<br>ond decimal  | 0,00         |  |  |
| (P <sub>net</sub> ) for CLS, (                                     | tandby power<br>expressed in W<br>the second dec-                                | -                         | Colour rendering in-<br>dex, rounded to the<br>nearest integer, or<br>the range of CRI-val-<br>ues that can be set   | 80           |  |  |
| Outer dimen-   | Height   | 604                       | Spectral power dis-  | See image    |  |  |
| sions without<br>separate con-<br>trol gear, light-<br>ing control | Width<br>Depth   | 26<br>26                  | tribution in the<br>range 250 nm to 800<br>nm, at full-load  | in last page |  |  |

| parts and non-<br>lighting con-<br>trol parts, if<br>any (millime-<br>tre) |                      |   |                |
|--|----------------------|---|----------------|
| Claim of equivalent pov  | ver <sup>(a)</sup> - | If yes, equivalent power (W)            | -              |
|  |                      | Chromaticity coordi-<br>nates (x and y) | 0,463<br>0,420 |

(a)'-' : not applicable;

(b)'-' : not applicable;



Model placed on the Union market from 03/09/2021



**EPREL registration number:** 546322

Supplier: LEDVANCE GmbH (Manufacturer)

### **Customer care service:**

Name: LEDVANCE GmbH

Email: contact@ledvance.com

## Address:

Parkring 33, Garching, Germany

https://eprel.ec.europa.eu/qr/546322

Website: http://www.ledvance.com/

Website:

Phone: +49 89-780673-100