Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's	name or	trade mark:	LEDVANCE
------------	---------	-------------	----------

Supplier's address: LEDVANCE GmbH, Parkring 33, Garching, Germany

Model identifier: AC35301


T	- 6	10 - 1- 1		
IVna	α T	IIσnt	source:	,
IVDC	vı	HEILL	Jourte.	

(or other electric interface) Mains or non-mains: NMLS Connected light source (CLS): Colour-tuneable light source: No Envelope: High luminance light source: No Anti-glare shield: No Dimmable:	Product parameters				
(or other electric interface) Mains or non-mains: NMLS Connected light source (CLS): Colour-tuneable light source: No Envelope:	Yes				
(or other electric interface) Mains or non-mains: NMLS Connected light source (CLS):					
(or other electric interface) Mains or non-mains: NMLS Connected light	-				
	No				
Light source cap-type					
Light source cap-type GY6.35					
Lighting technology used: other Non-directional or directional:	NDLS				

Product parameters				
Parameter		Value	Parameter	Value
General product parameters:				
Energy consur mode (kWh/10 up to the neares	00 h), rounded	50	Energy efficiency class	G
dicating if it refe a sphere (360°)	s flux (фuse), in- ers to the flux in , in a wide cone rrow cone (90º)	910 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 950
On-mode power (P _{on}), expressed in W		50,0	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	100
Outer dimen-	Height	44	Spectral power dis-	See image
sions without	Width	12	tribution in the	in last page
separate con- trol gear, light- ing control	Depth	12	range 250 nm to 800 nm, at full-load	

parts and non- lighting con- trol parts, if any (millime- tre)			
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-
		Chromaticity coordinates (x and y)	0,444 0,406

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 06/09/2021



EPREL registration number: 714472 https://eprel.ec.europa.eu/qr/714472

Supplier: LEDVANCE GmbH (Manufacturer) Website: http://www.ledvance.com/

Customer care service:

Name: LEDVANCE GmbH Website:

Email: contact@ledvance.com Phone: +49 89-780673-100

Address:

Parkring 33, Garching, Germany