Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or to	ade mark: Nimbus
-----------------------	------------------

Supplier's address: Zentrale, Sieglestraße 41, 70469 Stuttgart Stuttgart Baden-Württemberg, DE

Model identifier: 55	50-984
----------------------	--------

Type of light source:	Type	of light	source:
-----------------------	------	----------	---------


Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type	Micro-USB		
(or other electric interface)			
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	Yes
Due do et a care estare			

Product parameters

Product parameters				
Parameter		Value	Parameter	Value
General product parameters:				
<u> </u>	mption in on- 00 h), rounded st integer	5	Energy efficiency class	F
dicating if it refe a sphere (360º)	s flux (фuse), ineers to the flux in, in a wide cone arrow cone (90º)	440 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 700
On-mode pow pressed in W	ver (P _{on}), ex-	5,0	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00
(P _{net}) for CLS, 6	tandby power expressed in W the second dec-	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	90
Outer dimen-	Height	238	Spectral power dis-	See image
sions without	Width	225	tribution in the	in last page
separate con- trol gear, light- ing control	Depth	185	range 250 nm to 800 nm, at full-load	

parts and non- lighting con- trol parts, if any (millime- tre)			
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-
		Chromaticity coordi-	0,451
		nates (x and y)	0,408
Parameters for LED and OLED light sources:			
R9 colour rendering index value	50	Survival factor	1,00
the lumen maintenance factor	0,96		

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 15/07/2015



EPREL registration number: 765015 https://eprel.ec.europa.eu/qr/765015

Supplier: Nimbus Group GmbH (Manufacturer) Website: https://nimbus-group.com

Customer care service:

Name: Zentrale Website: https://nimbus-lighting.com

Email: info@nimbus-group.com Phone: +497116330140

Address:

Sieglestraße 41 70469 Stuttgart

Germany