

# Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

**Supplier's name or trade mark:** BOTLIGHTING

**Supplier's address:** BOTLIGHTING, VIA LOMBARDIA 37/39, 30030 CAZZAGO DI PIANIGA VE, IT

**Model identifier:** MODA122BCMD

## Type of light source:

|   |               |                                 |      |
|---|---------------|---------------------------------|------|
| Lighting technology used:                           | LED           | Non-directional or directional: | NDLS |
| Light source cap-type (or other electric interface) | ELECTRIC WIRE |                                 |      |
| Mains or non-mains:                                 | MLS           | Connected light source (CLS):   | No   |
| Colour-tuneable light source:                       | No            | Envelope:                       | -    |
| High luminance light source:                        | No            |                                 |      |
| Anti-glare shield:                                  | No            | Dimmable:                       | No   |


## Product parameters

| Parameter  | Value                  | Parameter  | Value                  |
|--|------------------------|--|------------------------|
| <b>General product parameters:</b>   |                        |  |                        |
| Energy consumption in on-mode (kWh/1000 h), rounded up to the nearest integer  | 12                     | Energy efficiency class  | F                      |
| Useful luminous flux ( $\phi_{use}$ ), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°) | 1 200 in Sphere (360°) | Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set | 3 000                  |
| On-mode power ( $P_{on}$ ), expressed in W   | 12,0                   | Standby power ( $P_{sb}$ ), expressed in W and rounded to the second decimal   | 0,00                   |
| Networked standby power ( $P_{net}$ ) for CLS, expressed in W and rounded to the second decimal  | -                      | Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set   | 80                     |
| Outer dimensions without separate control gear, lighting control   | Height                 | Spectral power distribution in the range 250 nm to 800 nm, at full-load  | See image in last page |
|  | Width                  |  |                        |
|  | Depth                  |  |                        |


|   |      |                                       |                |  |
|---|------|---------------------------------------|----------------|--|
| parts and non-lighting control parts, if any (millimetre)   |      |                                       |                |  |
| Claim of equivalent power <sup>(a)</sup>  | -    | If yes, equivalent power (W)          | -              |  |
|   |      | Chromaticity coordinates (x and y)    | 0,440<br>0,403 |  |
| <b>Parameters for LED and OLED light sources:</b>   |      |                                       |                |  |
| R9 colour rendering index value   | 1    | Survival factor                       | 0,90           |  |
| the lumen maintenance factor  | 0,96 |                                       |                |  |
| <b>Parameters for LED and OLED mains light sources:</b>   |      |                                       |                |  |
| displacement factor (cos $\phi_1$ )   | 0,70 | Colour consistency in McAdam ellipses | 5              |  |
| Claims that an LED light source replaces a fluorescent light source without integrated ballast of a particular wattage. | -(b) | If yes then replacement claim (W)     | -              |  |
| Flicker metric (Pst LM)   | 1,0  | Stroboscopic effect metric (SVM)      | 0,9            |  |

(a) '-': not applicable;

(b) '-': not applicable;



Model placed on the Union market from 01/09/2021



**EPREL registration number:** 777495

<https://eprel.ec.europa.eu/qr/777495>

**Supplier:** BOT LIGHTING S.R.L. (Manufacturer)

**Website:** [www.botlighting.it](http://www.botlighting.it)

**Customer care service:**

**Name:** BOTLIGHTING

**Website:** [www.botlighting.it](http://www.botlighting.it)

**Email:** [supporto@botlighting.it](mailto:supporto@botlighting.it)

**Phone:** +390415129411

**Address:**

VIA LOMBARDIA 37/39  
30030 CAZZAGO DI PIANIGA  
Italy