Product Information Sheet

Outer dimen-

sions without

separate con-

trol gear, light-

Height

Width

Depth

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: Hera GmbH & Co KG Supplier's address: FE, Dieselstraße 9, 32130 Enger Herford, DE										
						Model identifier: LED Tape F 5m 700 LED				
						Type of light source:				
Lighting technology used:	LED	Non-directional or directional:	NDLS							
Light source cap-type	nein									
(or other electric interface)										
Mains or non-mains:	NMLS	Connected light source (CLS):	No							
Colour-tuneable light source:	No	Envelope:	-							
High luminance light source:	No									
Anti-glare shield:	No	Dimmable:	Only with spe- cific dimmers							
Product parameters										
Parameter	Value	Parameter	Value							
General product parameters:										
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer	42	Energy efficiency class	F							
Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	4 350 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 700 or 3 000 or 4 000							
On-mode power (P _{on}), expressed in W	40,0	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00							
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	85							

5 000

10

10

Spectral power dis-

range 250 nm to 800

nm, at full-load

in

the


tribution

See image

in last page

ing control parts and non-lighting control parts, if any (millimetre)				
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-	
		Chromaticity coordi-	0,436	
		nates (x and y)	0,422	
Parameters for LED and OLED light sources:				
R9 colour rendering index valu	e 0	Survival factor	0,00	
the lumen maintenance factor	0,00			

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 08/06/2021



EPREL registration number: 787449 https://eprel.ec.europa.eu/qr/787449

Supplier: Hera GmbH & Co KG (Manufacturer) Website: www.hera-online.de

Customer care service:

Name: FE Website: www.hera-online.de

Email: rohs@hera-online.de Phone: 05224911309

Address: Dieselstraße 9 32130 Enger Germany