
## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

sources	ELEGATED REGUL	-ATION (EU) 2019/2	015 with regard to energ	gy labelling of light		
Supplier's name or trade mark: ALUMINOR Luminaires						
Supplier's address: Commercial, 852 CD 15, 06390 CONTES, FR						
Model identifier: ALULED1 / C000006W40						
Type of light so	urce:					
Lighting technology used:		LED	Non-directional or directional:	NDLS		
Light source cap-type		LED				
(or other electric interface)						
Mains or non-mains:		NMLS	Connected light source (CLS):	No		
Colour-tuneable light source:		No	Envelope:	-		
High luminance light source:		No				
Anti-glare shield:		No	Dimmable:	Only with spe- cific dimmers		
		Product para	meters			
Parameter		Value	Parameter	Value		
General product parameters:						
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		7	Energy efficiency class	F		
Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		659 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	4 100		
On-mode power (P <sub>on</sub> ), expressed in W		7,0	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,00		
Networked standby power (P <sub>net</sub> ) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	88		
Outer dimen-	Height	50	Spectral power dis-	See image		
sions without	Width	15	tribution in the	in last page		
separate con- trol gear, light-	Depth	1	range 250 nm to 800 nm, at full-load			

ing control parts and non-lighting control parts, if any (millimetre)						
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-			
		Chromaticity coordi-	0,376			
		nates (x and y)	0,374			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	30	Survival factor	1,00			
the lumen maintenance factor	0,90					

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 01/09/2021



EPREL registration number: 787814 https://eprel.ec.europa.eu/qr/787814

Supplier: ETABLISSEMENTS ALUMINOR (Importer) Website: www.aluminor.fr

**Customer care service:** 

Name: Commercial Website: www.aluminor.fr

Email: contact@aluminor.fr Phone: 33 (0)4 93 91 60 10

Address: 852 CD 15 06390 CONTES

France