
Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

sources		-, (20) 2013, 2	ora with regard to energ	8) idee8 or8			
Supplier's name	e or trade mark:	ALUMINOR Luminai	ires				
Supplier's address: Commercial, 852 CD 15, 06390 CONTES, FR							
Model identifie	r: TRINITY-LED						
Type of light so	urce:						
Lighting technology used:		LED	Non-directional or directional:	NDLS			
Light source cap-type		LED					
(or other electric interface)							
Mains or non-mains:		NMLS	Connected light source (CLS):	No			
Colour-tuneable light source:		No	Envelope:	-			
High luminance light source:		No					
Anti-glare shield:		No	Dimmable:	No			
		Product para	T	1			
Parameter		Value	Parameter	Value			
		General product p	T				
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		61	Energy efficiency class	F			
Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		6 346 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 200			
On-mode power (P _{on}), ex- pressed in W		60,6	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00			
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	83			
Outer dimen-	Height	500	Spectral power dis-	See image			
sions without separate con-	Width	5 2	tribution in the range 250 nm to 800	in last page			
trol gear, light- ing control			nm, at full-load				

parts and non- lighting con- trol parts, if any (millime- tre)							
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-				
		Chromaticity coordi-	0,428				
		nates (x and y)	0,405				
Parameters for LED and OLED light sources:							
R9 colour rendering index value	11	Survival factor	1,00				
the lumen maintenance factor	0,90						

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 01/09/2021 to 01/01/2023



EPREL registration number: 788511 https://eprel.ec.europa.eu/qr/788511

Supplier: ETABLISSEMENTS ALUMINOR (Importer) Website: www.aluminor.fr

Customer care service:

Name: Commercial Website: www.aluminor.fr

Email: contact@aluminor.fr Phone: 33 (0)4 93 91 60 10

Address: 852 CD 15 06390 CONTES

France