Product Information Sheet

ing


control

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

sources	ALLOAILD REGOL	-AHON (20) 2013/2	oto with regard to energ	Sy labelling of light		
Supplier's name	e or trade mark:	ALUMINOR Lumina	ires			
Supplier's address: Commercial, 852 CD 15, 06390 CONTES, FR						
Model identifie	r: SUCCESS-LED					
Type of light so	urce:					
Lighting technology used:		LED	Non-directional or directional:	NDLS		
Light source cap-type		LED				
(or other electric interface)						
Mains or non-mains:		NMLS	Connected light source (CLS):	No		
Colour-tuneable light source:		No	Envelope:	-		
High luminance light source:		No				
Anti-glare shield:		No	Dimmable:	Yes		
		Product para	meters			
Parameter		Value	Parameter	Value		
		General product p	parameters:			
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		4	Energy efficiency class	E		
Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		548 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000 or 5 000 or 6 500		
On-mode power (P _{on}), ex- pressed in W		4,0	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00		
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	82		
Outer dimen-	Height	300	Spectral power dis-	See image		
sions without	Width	45	tribution in the	in last page		
separate control gear, light-	Depth	2	range 250 nm to 800 nm, at full-load			

parts and non- lighting con- trol parts, if any (millime- tre)						
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-			
		Chromaticity coordinates (x and y)	0,311 0,329			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	10	Survival factor	0,90			
the lumen maintenance factor	0,96					

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 01/09/2021



EPREL registration number: 796992 https://eprel.ec.europa.eu/qr/796992

Supplier: ETABLISSEMENTS ALUMINOR (Importer) Website: www.aluminor.fr

Customer care service:

Name: Commercial Website: www.aluminor.fr

Email: contact@aluminor.fr Phone: 33 (0)4 93 91 60 10

Address: 852 CD 15 06390 CONTES

France