
Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

| sources | Sources | | | | | |
|--|------------|---|--|--------------|--|--|
| Supplier's name or trade mark: Muuto | | | | | | |
| Supplier's address: Customer care, Østergade, Copenhagen, DK | | | | | | |
| Model identifier: Tip Table Lamp | | | | | | |
| Type of light so | urce: | | | | | |
| Lighting techno | logy used: | LED | Non-directional or directional: | DLS | | |
| Light source cap-type (or other electric interface) | | AC 100-240V ~ 50/60Hz non re- placeable LED | | | | |
| Mains or non-mains: | | MLS | Connected light source (CLS): | No | | |
| Colour-tuneable light source: | | No | Envelope: | - | | |
| High luminance light source: | | No | | | | |
| Anti-glare shield: | | No | Dimmable: | Yes | | |
| Product parameters | | | | | | |
| Parameter | | Value | Parameter | Value | | |
| General product parameters: | | | | | | |
| Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer | | 8 | Energy efficiency class | G | | |
| Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°) | | 210 in Wide cone (120°) | Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set | 3 000 | | |
| On-mode power (P _{on}), expressed in W | | 8,0 | Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal | 0,67 | | |
| Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal | | - | Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set | 90 | | |
| Outer dimen- | Height | 400 | Spectral power dis- | See image | | |
| sions without | Width | 295 | tribution in the | in last page | | |
| separate con- trol gear, light- | Depth | 160 | range 250 nm to 800 nm, at full-load | | | |

| ing control parts and non-lighting control parts, if any (millimetre) | | | | | | |
|---|------|---|----------------|--|--|--|
| Claim of equivalent power ^(a) | - | If yes, equivalent power (W) | - | | | |
| | | Chromaticity coordinates (x and y) | 0,428 0,401 | | | |
| Parameters for directional light sources: | | | | | | |
| Peak luminous intensity (cd) | 86 | Beam angle in de- grees, or the range of beam angles that can be set | 151 | | | |
| Parameters for LED and OLED light sources: | | | | | | |
| R9 colour rendering index value | 67 | Survival factor | - | | | |
| the lumen maintenance factor | - | | | | | |
| Parameters for LED and OLED mains light sources: | | | | | | |
| displacement factor (cos φ1) | 0,65 | Colour consistency in McAdam ellipses | 3 | | | |
| Claims that an LED light source replaces a fluorescent light source without integrated ballast of a particular wattage. | _(b) | If yes then replace- ment claim (W) | - | | | |
| Flicker metric (Pst LM) | 0,1 | Stroboscopic effect metric (SVM) | 0,0 | | | |

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 01/01/2018



EPREL registration number: 802916 https://eprel.ec.europa.eu/qr/802916

Supplier: Muuto A/S (Manufacturer) **Website:**

Customer care service:

Name: Customer care Website:

Email: customercare@muuto.com Phone: +45 32 96 98 99

Address: Østergade Copenhagen Denmark