
## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

sources							
Supplier's name or trade mark: Paulmann							
Supplier's address: Info, Quezinger Feld 2, 31832 Springe-Völksen, DE							
Model identifier: 28929							
Type of light source:							
Lighting techno	logy used:	other	Non-directional or directional:	DLS			
Light source cap-type		GU10					
(or other electri	ic interface)						
Mains or non-mains:		MLS	Connected light source (CLS):	No			
Colour-tuneable light source:		No	Envelope:	-			
High luminance light source:		No					
Anti-glare shield:		No	Dimmable:	No			
Product parameters							
Parameter		Value	Parameter	Value			
General product parameters:							
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		4	Energy efficiency class	G			
Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		250 in Nar- row cone (90°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	4 000			
On-mode power (P <sub>on</sub> ), expressed in W		3,5	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,00			
Networked standby power (P <sub>net</sub> ) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80			
Outer dimen-	Height	54	Spectral power dis-	See image			
sions without separate con- trol gear, light- ing control	Width Depth	51 51	tribution in the range 250 nm to 800 nm, at full-load	in last page			

parts and non- lighting con- trol parts, if any (millime- tre)							
Claim of equivalent power <sup>(a)</sup>		-	If yes, equivalent power (W)	-			
			Chromaticity coordi-	0,383			
			nates (x and y)	0,386			
Parameters for directional light sources:							
Peak luminous intensity (cd)		600	Beam angle in degrees, or the range of beam angles that can be set	36			

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 31/01/2022



**EPREL registration number:** 805297 https://eprel.ec.europa.eu/qr/805297

Supplier: Paulmann Licht GmbH (Importer) Website: www.paulmann.com

**Customer care service:** 

Name: Info Website: www.paulmann.com

**Email:** info@paulmann.de **Phone:** +49 (0) 5041 998 0

Address:

Quezinger Feld 2 31832 Springe-Völksen

Germany