## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's	name or	trade mark	: UMAGE
------------	---------	------------	---------

Supplier's address: UMAGE ApS, Havnegade 29, 1058 Copenhagen, DK

Model identifier: 2233 (light-source)

_	•		
Typa	Ot.	light	source:
IVDE	UI.	HEILL	source.


control

ing

7,12 27 118110 00				
Lighting technol	logy used:	LED	Non-directional or directional:	NDLS
Light source cap	Light source cap-type			
(or other electri	(or other electric interface)			
Mains or non-mains:		NMLS	Connected light source (CLS):	No
Colour-tuneable	light source:	No	Envelope:	-
High luminance	High luminance light source:			
Anti-glare shield	<b>l</b> :	No	Dimmable:	No
		Product para	meters	
Parameter		Value	Parameter	Value
		General product p	arameters:	
<u> </u>	nption in on- 00 h), rounded st integer	2	Energy efficiency class	F
Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		125 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000
On-mode power (P <sub>on</sub> ), ex- pressed in W		1,3	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,00
Networked standby power (P <sub>net</sub> ) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	82
Outer dimen-	Height	23	Spectral power dis-	See image
sions without	Width	23	tribution in the	in last page
separate con- trol gear, light-	Depth	19	range 250 nm to 800 nm, at full-load	

parts and non- lighting con- trol parts, if any (millime- tre)					
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-		
		Chromaticity coordi-	0,444		
		nates (x and y)	0,414		
Parameters for LED and OLED light sources:					
R9 colour rendering index value	3	Survival factor	1,00		
the lumen maintenance factor	0,96				

(a)'-': not applicable; (b)'-': not applicable;



## Model placed on the Union market from 07/09/2020



**EPREL registration number:** 843847 https://eprel.ec.europa.eu/qr/843847

Supplier: UMAGE ApS (Manufacturer) Website: www.umage.com

**Customer care service:** 

Name: UMAGE ApS Website: www.umage.com

**Email:** info@umage.com **Phone:** +45 31 39 31 31

Address:

Havnegade 29 1058 Copenhagen

Denmark