Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier	's	name	or	trade	marl	k:	UMAGE
----------	----	------	----	-------	------	----	-------

Supplier's address: UMAGE ApS, Havnegade 29, 1058 Copenhagen, DK

Model identifier: 2232 (light-source)

_	•		
Typa	Ot.	light	source:
IVDE	UI.	HEILL	source.


Type of light source:						
Lighting technology used:	LED	Non-directional or	NDLS			
		directional:				
Light source cap-type	LED Spot					
(or other electric interface)	1,3W 0,4A					
Mains or non-mains:	NMLS	Connected light	No			
		source (CLS):				
Colour-tuneable light source:	No	Envelope:	-			
High luminance light source:	No					
Anti-glare shield:	No	Dimmable:	No			
Product parameters						
Parameter	Value	Parameter	Value			
General product parameters:						
Energy consumption in on-	2	Energy efficiency	F			

_					
	2	Energy	efficiency	F	
		-1			

Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		2	Energy efficiency class	F
Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		125 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000
On-mode power (P _{on}), expressed in W		1,3	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	82
Outer dimen-	Height	23	Spectral power dis-	See image
sions without	Width	23	tribution in the	in last page
separate con- trol gear, light- ing control	Depth	19	range 250 nm to 800 nm, at full-load	

parts and non- lighting con- trol parts, if any (millime- tre)				
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-	
		Chromaticity coordi-	0,444	
		nates (x and y)	0,414	
Parameters for LED and OLED light sources:				
R9 colour rendering index value	3	Survival factor	1,00	
the lumen maintenance factor	0,96			

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 09/03/2020



EPREL registration number: 843871 https://eprel.ec.europa.eu/qr/843871

Supplier: UMAGE ApS (Manufacturer) Website: www.umage.com

Customer care service:

Name: UMAGE ApS Website: www.umage.com

Email: info@umage.com **Phone:** +45 31 39 31 31

Address:

Havnegade 29 1058 Copenhagen

Denmark