

# Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

**Supplier's name or trade mark:** Vossloh-Schwabe

**Supplier's address:** Vossloh-Schwabe Deutschland GmbH, Vossloh-Schwabe Deutschland GmbH Wasenstr. 25 73660 Urbach Deutschland

**Model identifier:** DMS128D27W

## Type of light source:

Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type (or other electric interface)	Solder pads		
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	Yes

## Product parameters

Parameter	Value	Parameter	Value
-----------	-------	-----------	-------

### General product parameters:


Energy consumption in on-mode (kWh/1000 h), rounded up to the nearest integer	24	Energy efficiency class	E
Useful luminous flux ( $\phi_{use}$ ), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	2 895 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 700
On-mode power ( $P_{on}$ ), expressed in W	24,0	Standby power ( $P_{sb}$ ), expressed in W and rounded to the second decimal	0,00
Networked standby power ( $P_{net}$ ) for CLS, expressed in W and rounded to the second decimal	-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	90
Outer dimensions without separate control gear, light-	Height	2	Spectral power distribution in the range 250 nm to 800 nm, at full-load
	Width	19	
	Depth	19	
			See image in last page

ing control parts and non-lighting control parts, if any (millimetre)			
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-
		Chromaticity coordinates (x and y)	0,460 0,411
<b>Parameters for LED and OLED light sources:</b>			
R9 colour rendering index value	50	Survival factor	0,98
the lumen maintenance factor	0,96		


(a) : not applicable;

(b) : not applicable;

DMS128D27W



Model placed on the Union market from 01/06/2018



**EPREL registration number:** 874028

<https://eprel.ec.europa.eu/qr/874028>

**Supplier:** Vossloh-Schwabe Deutschland GmbH (Manufacturer)

**Website:** <https://www.vossloh-schwabe.com>

**Customer care service:**

**Name:** Vossloh-Schwabe Deutschland GmbH

**Website:**

**Email:** [info.vsv@vossloh-schwabe.com](mailto:info.vsv@vossloh-schwabe.com)

**Phone:** +49 (0)7181 8002-0

**Address:**

Vossloh-Schwabe Deutschland GmbH Wasenstr. 25 73660 Urbach Deutschland