## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark:	: Astro Lighting Ltd
--------------------------------	----------------------

Supplier's address: Technical Enquiries, Astro Lighting Ltd, River Way, CM20 2GJ Harlow Essex, UK


Model identifier: Forge Europa FEM-1734-827 162/24 2700K (@700mA) G3

Lighting technology used:	LED	Non-directional or directional:	DLS	
Light source cap-type	Solder Pads			
(or other electric interface)				
Mains or non-mains:	NMLS	Connected light source (CLS):	No	
Colour-tuneable light source:	No	Envelope:	-	
High luminance light source:	No			
Anti-glare shield:	No	Dimmable:	Yes	
Product parameters				

- 0		_			
Product parameters					
Parameter		Value	Parameter	Value	
General product parameters:					
<u> </u>	nption in on- 00 h), rounded st integer	7	Energy efficiency class	D	
dicating if it refe a sphere (360°)	s flux (фuse), ineers to the flux in, in a wide cone rrow cone (90º)	867 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 700	
On-mode pow pressed in W	ver (P <sub>on</sub> ), ex-	6,4	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,00	
(P <sub>net</sub> ) for CLS, 6	candby power expressed in W the second dec-	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80	
Outer dimen-	Height	162	Spectral power dis-	See image	
sions without	Width	17	tribution in the	in last page	
separate con- trol gear, light- ing control	Depth	2	range 250 nm to 800 nm, at full-load		

parts and non- lighting con- trol parts, if any (millime- tre)			
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-
		Chromaticity coordi-	0,457
		nates (x and y)	0,410
Parameters for directional light sources:			
Peak luminous intensity (cd)	276	Beam angle in degrees, or the range of beam angles that can be set	120
Parameters for LED and OLED light sources:			
R9 colour rendering index value	6	Survival factor	0,99
the lumen maintenance factor	0,97		

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 01/09/2021



**EPREL registration number:** 877700 https://eprel.ec.europa.eu/qr/877700

Supplier: Astro Lighting (Europe) b.v. (Importer) Website: www.astrolighting.com

**Customer care service:** 

Name: Technical Enquiries Website: www.astrolighting.com

Email: technical@astrolighting.com Phone: +44 (0)1279 427001

Address:

Astro Lighting Ltd, River Way

CM20 2GJ Harlow United Kingdom