Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: Astro Lighting Ltd

Supplier's address: Technical Enquiries, Astro Lighting Ltd, River Way, CM20 2GJ Harlow Essex, UK

Model identifier: Forge Europa FEM-1734-827 162/24 2700K (@700mA) G3


Type of light source:	Type	of light	source:
-----------------------	------	----------	---------

source (CLS): Colour-tuneable light source: High luminance light source: Anti-glare shield: No Dimmable:	-	- Yes
source (CLS): Colour-tuneable light source: No Envelope:	-	-
source (CLS):	-	-
	_	
Mains or non-mains: NMLS Connected	light	No
(or other electric interface)		
Light source cap-type Solder Pads		
Lighting technology used: LED Non-direction directional:	nal or	DLS

Product parameters					
Parameter	Parameter		Parameter	Value	
General product parameters:					
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		7	Energy efficiency class	D	
Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		867 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 700	
On-mode pow pressed in W	ver (P _{on}), ex-	6,4	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00	
(P _{net}) for CLS, 6	andby power expressed in W the second dec-	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80	
Outer dimen-	Height	162	Spectral power dis-	See image	
sions without	Width	17	tribution in the	in last page	
separate con- trol gear, light- ing control	Depth	2	range 250 nm to 800 nm, at full-load		

parts and non- lighting con- trol parts, if any (millime- tre)						
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-			
		Chromaticity coordi-	0,457			
		nates (x and y)	0,410			
Parameters for directional light sources:						
Peak luminous intensity (cd)	276	Beam angle in degrees, or the range of beam angles that can be set	120			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	6	Survival factor	0,99			
the lumen maintenance factor	0,97					

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 01/09/2021



EPREL registration number: 877700 https://eprel.ec.europa.eu/qr/877700

Supplier: Astro Lighting (Europe) b.v. (Importer) Website: www.astrolighting.com

Customer care service:

Name: Technical Enquiries Website: www.astrolighting.com

Email: technical@astrolighting.com Phone: +44 (0)1279 427001

Address:

Astro Lighting Ltd, River Way

CM20 2GJ Harlow United Kingdom