
## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light

sources	PELEGATED REGUL	-AHON (EU) 2019/2	2015 with regard to energ	gy labelling of light	
Supplier's name	e or trade mark:	IDEAL LUX			
Supplier's address: IDEAL LUX , Taglio Destro 32, IT					
Model identifie	r: 802169617930	08			
Type of light so	urce:				
Lighting technology used:		LED	Non-directional or directional:	DLS	
Light source cap-type		MODULE			
(or other electric interface)					
Mains or non-mains:		NMLS	Connected light source (CLS):	No	
Colour-tuneable light source:		No	Envelope:	-	
High luminance light source:		No			
Anti-glare shield:		No	Dimmable:	No	
		Product para			
Parameter		Value	Parameter	Value	
		General product		_	
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		22	Energy efficiency class	E	
Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		2 100 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000	
On-mode power (P <sub>on</sub> ), expressed in W		22,0	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,50	
Networked standby power (P <sub>net</sub> ) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80	
Outer dimen-	Height	60	Spectral power dis-	See image	
sions without separate con- trol gear, light- ing control	Width Depth	90 540	tribution in the range 250 nm to 800 nm, at full-load	in last page	

parts and non- lighting con- trol parts, if any (millime- tre)						
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-			
		Chromaticity coordi-	0,434			
		nates (x and y)	0,403			
Parameters for directional light sources:						
Peak luminous intensity (cd)	100	Beam angle in degrees, or the range of beam angles that can be set	120			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	0	Survival factor	0,90			
the lumen maintenance factor	0,95					

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 11/05/2018 to 12/05/2018



**EPREL registration number:** 878086 https://eprel.ec.europa.eu/qr/878086

**Supplier:** Ideal Lux s.r.l. (Importer) **Website:** 

**Customer care service:** 

Name: IDEAL LUX Website:

Email: info@ideal-lux.com Phone: +390415790500

Address:

Taglio Destro 32

Italy