Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Suppl	ier's	name	or	trade	mark:	Vibia
-------	-------	------	----	-------	-------	-------

Supplier's address: Vibia Lighting, progres 4-6, 08850 Gava gava Barcelona, ES


Model identifier: 577418/1B

_	•			
Tyna	Ot.	lioht	sour	CD.
IVDC	O.	IIGIIL	30ui	LC.

Type of light 30	uice.						
Lighting technology used:		LED	Non-directional or directional:	NDLS			
Light source cap-type		Renobable PCB					
(or other electri	(or other electric interface)						
Mains or non-m	Mains or non-mains:		Connected light source (CLS):	No			
Colour-tuneable	e light source:	No	Envelope:	-			
High luminance	light source:	No					
Anti-glare shield	d:	No	Dimmable:	Yes			
	Product parameters						
Parameter		Value	Parameter	Value			
		General product p	arameters:				
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		4	Energy efficiency class	F			
Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		415 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 700			
On-mode power (P _{on}), expressed in W		4,0	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,10			
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	90			
Outer dimen-	Height	2 050	Spectral power distribution in the	See image in last page			
sions without	Width	290					
separate con- trol gear, light- ing control	Depth	2 000	range 250 nm to 800 nm, at full-load				

parts and non- lighting con- trol parts, if any (millime- tre)					
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-		
		Chromaticity coordi-	0,467		
	nates (x and y)		0,412		
Parameters for LED and OLED light sources:					
R9 colour rendering index value	57	Survival factor	-		
the lumen maintenance factor	-				

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 01/01/2010



EPREL registration number: 897650 https://eprel.ec.europa.eu/qr/897650

Supplier: Vibia Ligting, SLU (Manufacturer) Website: www.vibia.com

Customer care service:

Name: Vibia Lighting Website: www.vibia.com

Email: vibia@vibialighting.com Phone: +34 934 796 970

Address: progres 4-6 08850 gava Spain