## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trace	<b>de mark:</b> Vibia
--------------------------	-----------------------

Supplier's address: Vibia Lighting, progres 4-6, 08850 Gava gava Barcelona, ES

Model identifier: 151020/1B


_	•			
Typa	Λt	liaht	sourc	Δ.
IVDE	OI.	IIGIIL	<b>3</b> Uui C	c.

ing control

Type of light 30	ui cc.			
Lighting techno	logy used:	LED	Non-directional or directional:	NDLS
Light source cap	o-type	Renobable PCB		
(or other electri	ic interface)			
Mains or non-m	nains:	NMLS	Connected light source (CLS):	No
Colour-tuneable	e light source:	No	Envelope:	-
High luminance	light source:	No		
Anti-glare shield	d:	No	Dimmable:	Yes
		Product para	meters	
Parameter		Value	Parameter	Value
		General product p	parameters:	
Energy consur mode (kWh/10 up to the neare	00 h), rounded	11	Energy efficiency class	F
dicating if it refo a sphere (360º)	s flux (φuse), iners to the flux in, in a wide cone errow cone (90°)	1 108 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 700
On-mode pov pressed in W	ver (P <sub>on</sub> ), ex-	11,0	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,10
(P <sub>net</sub> ) for CLS,	tandby power expressed in W the second dec-	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	90
Outer dimen-	Height	70	Spectral power dis-	See image
sions without	Width	2 000	tribution in the	in last page
separate con- trol gear, light-	Depth	160	range 250 nm to 800 nm, at full-load	

parts and non- lighting con- trol parts, if any (millime- tre)			
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-
		Chromaticity coordi-	0,443
		nates (x and y)	0,409
Parameters for LED and OLED light sources:			
R9 colour rendering index value	57	Survival factor	-
the lumen maintenance factor	-		

(a)'-': not applicable; (b)'-': not applicable;



## Model placed on the Union market from 01/01/2010



**EPREL registration number:** 915700 https://eprel.ec.europa.eu/qr/915700

Supplier: Vibia Ligting, SLU (Manufacturer) Website: www.vibia.com

**Customer care service:** 

Name: Vibia Lighting Website: www.vibia.com

Email: vibia@vibialighting.com Phone: +34 934 796 970

Address: progres 4-6 08850 gava Spain