Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: S	SLV
----------------------------------	-----

Supplier's address: EPREL-Contact, Daimlerstraße 21-23, 52531 Übach-Palenberg, DE


Model identifier: LS_2309


Type of light source.					
Lighting technology used:	LED	Non-directional or directional:	NDLS		
Light source cap-type	Unspecified				
(or other electric interface)					
Mains or non-mains:	NMLS	Connected light source (CLS):	No		
Colour-tuneable light source:	No	Envelope:	-		
High luminance light source:	No				
Anti-glare shield:	No	Dimmable:	No		
Product parameters					
Parameter	Value	Parameter	Value		
	Canaval avaduat		•		

	Floudt parameters							
Parameter		Value	Parameter	Value				
General product parameters:								
Energy consun mode (kWh/100 up to the neares	00 h), rounded	12	Energy efficiency class	D				
Useful luminous dicating if it refe a sphere (360°), (120°) or in a na	ers to the flux in in a wide cone	1 909 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 900				
On-mode pow pressed in W	ver (P _{on}), ex-	12,0	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00				
Networked st (P _{net}) for CLS, e and rounded to imal	•	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	84				
Outer dimen- sions without	Height Width	3 230	Spectral power distribution in the	See image in last page				
separate con- trol gear, light- ing control	Depth	20	range 250 nm to 800 nm, at full-load					

parts and non- lighting con- trol parts, if any (millime- tre)						
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-			
		Chromaticity coordi-	0,390			
		nates (x and y)	0,390			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	12	Survival factor	1,00			
the lumen maintenance factor	0,99					

(a)'-': not applicable; (b)'-': not applicable;





Model placed on the Union market from 01/03/2020



EPREL registration number: 916431 https://eprel.ec.europa.eu/qr/916431

Supplier: SLV GmbH (Importer) Website: www.slv.com

Customer care service:

Name: EPREL-Contact Website: www.slv.com

Email: eprel@slv.de **Phone:** +49 (2451) 4833 154

Address:

Daimlerstraße 21-23 52531 Übach-Palenberg

Germany