

Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: Vibia

Supplier's address: Vibia Lighting, progres 4-6, 08850 Gava gava Barcelona, ES

Model identifier: 577058/1B

Type of light source:

| | | | |
|---|---------------|---------------------------------|------|
| Lighting technology used: | LED | Non-directional or directional: | NDLS |
| Light source cap-type (or other electric interface) | Renovable PCB | | |
| Mains or non-mains: | NMLS | Connected light source (CLS): | No |
| Colour-tuneable light source: | No | Envelope: | - |
| High luminance light source: | No | | |
| Anti-glare shield: | No | Dimmable: | Yes |

Product parameters

| Parameter | Value | Parameter | Value |
|--|-------------------------|--|---|
| General product parameters: | | | |
| Energy consumption in on-mode (kWh/1000 h), rounded up to the nearest integer | 4 | Energy efficiency class | F |
| Useful luminous flux (ϕ_{use}), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°) | 415 in Wide cone (120°) | Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set | 2 700 |
| On-mode power (P_{on}), expressed in W | 4,0 | Standby power (P_{sb}), expressed in W and rounded to the second decimal | 0,10 |
| Networked standby power (P_{net}) for CLS, expressed in W and rounded to the second decimal | - | Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set | 90 |
| Outer dimensions without separate control gear, lighting control | Height | 250 | Spectral power distribution in the range 250 nm to 800 nm, at full-load |
| | Width | 1 770 | |
| | Depth | 2 000 | |
| | | | See image in last page |

| | | | |
|---|----|------------------------------------|----------------|
| parts and non-lighting control parts, if any (millimetre) | | | |
| Claim of equivalent power ^(a) | - | If yes, equivalent power (W) | - |
| | | Chromaticity coordinates (x and y) | 0,467 0,412 |
| Parameters for LED and OLED light sources: | | | |
| R9 colour rendering index value | 57 | Survival factor | - |
| the lumen maintenance factor | - | | |

(a) : not applicable;

(b) : not applicable;

λ_p
nm

621


$\lambda_p V$
mW/m²

17.67

17.67



Model placed on the Union market from 01/01/2010



EPREL registration number: 928511

<https://eprel.ec.europa.eu/qr/928511>

Supplier: Vibia Ligting, SLU (Manufacturer)

Website: www.vibia.com

Customer care service:

Name: Vibia Lighting

Website: www.vibia.com

Email: vibia@vibialighting.com

Phone: +34 934 796 970

Address:

progres 4-6
08850 gava
Spain