## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name of	or trade	mark:	Vibia
--------------------	----------	-------	-------

Supplier's address: Vibia Lighting, progres 4-6, 08850 Gava gava Barcelona, ES

Model identifier: 550567/16


Type of light source:	Type	of light	source:
-----------------------	------	----------	---------

Type of light source.			
Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type	Renobable PCB		
(or other electric interface)			
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	Yes
Product parameters			
Parameter	Value	Parameter	Value
	Canada anada at a		•

Parameter		Value	Parameter	Value
		General product p	arameters:	
<b>.</b>	nption in on- 00 h), rounded st integer	15	Energy efficiency class	E
dicating if it refe a sphere (360°)	s flux (φuse), in- ers to the flux in , in a wide cone rrow cone (90º)	2 027 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 700
On-mode pow pressed in W	ver (P <sub>on</sub> ), ex-	15,0	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,10
(P <sub>net</sub> ) for CLS, 6	andby power expressed in W the second dec-	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	90
Outer dimensions without separate control gear, lighting control	Height	150	Spectral power distribution in the	See image
	Width	520		in last page
	Depth	300	range 250 nm to 800 nm, at full-load	

parts and non- lighting con- trol parts, if any (millime- tre)			
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-
		Chromaticity coordi-	0,461
		nates (x and y)	0,415
Parameters for LED and OLED light sources:			
R9 colour rendering index value	19	Survival factor	-
the lumen maintenance factor	-		

(a)'-': not applicable; (b)'-': not applicable;



## Model placed on the Union market from 01/01/2010



EPREL registration number: 930214 https://eprel.ec.europa.eu/qr/930214

Supplier: Vibia Ligting, SLU (Manufacturer) Website: www.vibia.com

**Customer care service:** 

Name: Vibia Lighting Website: www.vibia.com

Email: vibia@vibialighting.com Phone: +34 934 796 970

Address: progres 4-6 08850 gava Spain