Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: Vibia

Supplier's address: Vibia Lighting, progres 4-6, 08850 Gava gava Barcelona, ES

Model identifier: 115436/10

Type of light source:


| Lighting technology used: | LED | Non-directional or directional: | NDLS |
|-------------------------------|---------------|---------------------------------|------|
| Light source cap-type | Renobable PCB | | |
| (or other electric interface) | | | |
| Mains or non-mains: | NMLS | Connected light source (CLS): | No |
| Colour-tuneable light source: | No | Envelope: | - |
| High luminance light source: | No | | |
| Anti-glare shield: | No | Dimmable: | Yes |

| Product parameters | | | | | | |
|---|---|------------------------------|--|--------------|--|--|
| Parameter | | Value | Parameter | Value | | |
| General product parameters: | | | | | | |
| Energy consur mode (kWh/10 up to the neare | 00 h), rounded | 18 | Energy efficiency class | F | | |
| dicating if it refe a sphere (360 ^o) | s flux (φuse), in- ers to the flux in , in a wide cone rrow cone (90º) | 2 050 in Wide cone (120°) | Correlated colour temperature, rounded to the near- est 100 K, or the range of correlat- ed colour temper- atures, rounded to the nearest 100 K, that can be set | 2 700 | | |
| On-mode pow pressed in W | ver (P _{on}), ex- | 18,0 | Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal | 0,10 | | |
| (P _{net}) for CLS, e | andby power expressed in W the second dec- | - | Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set | 90 | | |
| Outer dimen- | Height | 170 | Spectral power dis- | See image | | |
| sions without | Width | 620 | tribution in the | in last page | | |
| separate con- trol gear, light- ing control | Depth | 110 | range 250 nm to 800 nm, at full-load | | | |

| parts and non- lighting con- trol parts, if any (millime- tre) | | | | | | |
|--|----|------------------------------|-------|--|--|--|
| Claim of equivalent power ^(a) | - | If yes, equivalent power (W) | - | | | |
| | | Chromaticity coordi- | 0,441 | | | |
| | | nates (x and y) | 0,399 | | | |
| Parameters for LED and OLED light sources: | | | | | | |
| R9 colour rendering index value | 54 | Survival factor | - | | | |
| the lumen maintenance factor | - | | | | | |
| (a) | | <u> </u> | | | | |

(a)'-' : not applicable;

(b)'-' : not applicable;



Model placed on the Union market from 01/01/2010



EPREL registration number: 936618Supplier: Vibia Ligting, SLU (Manufacturer)Customer care service:

Name: Vibia Lighting

Email: vibia@vibialighting.com

Address:

progres 4-6 08850 gava Spain https://eprel.ec.europa.eu/qr/936618

Website: www.vibia.com

Website: www.vibia.com

Phone: +34 934 796 970