

# Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

**Supplier's name or trade mark:** Scandinavian Lighting Concept

**Supplier's address:** The Light Group, Sagmyra 2a, 4624 Kristiansand, NO

**Model identifier:** SLC1123

## Type of light source:

|   |     |                                 |     |
|---|-----|---------------------------------|-----|
| Lighting technology used:                           | LED | Non-directional or directional: | DLS |
| Light source cap-type (or other electric interface) | N/A |                                 |     |
| Mains or non-mains:                                 | MLS | Connected light source (CLS):   | No  |
| Colour-tuneable light source:                       | No  | Envelope:                       | -   |
| High luminance light source:                        | No  |                                 |     |
| Anti-glare shield:                                  | No  | Dimmable:                       | Yes |

## Product parameters

| Parameter  | Value                    | Parameter  | Value   |
|--|--------------------------|--|---|
| <b>General product parameters:</b>   |                          |  |   |
| Energy consumption in on-mode (kWh/1000 h), rounded up to the nearest integer  | 8                        | Energy efficiency class  | F   |
| Useful luminous flux ( $\phi_{use}$ ), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°) | 570 in Narrow cone (90°) | Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set | 3 000   |
| On-mode power ( $P_{on}$ ), expressed in W   | 8,0                      | Standby power ( $P_{sb}$ ), expressed in W and rounded to the second decimal   | 0,50  |
| Networked standby power ( $P_{net}$ ) for CLS, expressed in W and rounded to the second decimal  | -                        | Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set   | 90  |
| Outer dimensions without separate control gear, lighting control   | Height                   | 90   | Spectral power distribution in the range 250 nm to 800 nm, at full-load |
|  | Width                    | 90   |   |
|  | Depth                    | 50   |   |
|  |                          |  | See image in last page  |


|   |                    |  |                |
|---|--------------------|--|----------------|
| parts and non-lighting control parts, if any (millimetre)   |                    |  |                |
| Claim of equivalent power <sup>(a)</sup>  | Yes                | If yes, equivalent power (W)                                       | 60             |
|   |                    | Chromaticity coordinates (x and y)                                 | 0,433<br>0,403 |
| <b>Parameters for directional light sources:</b>  |                    |  |                |
| Peak luminous intensity (cd)  | 900                | Beam angle in degrees, or the range of beam angles that can be set | 36             |
| <b>Parameters for LED and OLED light sources:</b>   |                    |  |                |
| R9 colour rendering index value   | 59                 | Survival factor  | 0,90           |
| the lumen maintenance factor  | 0,97               |  |                |
| <b>Parameters for LED and OLED mains light sources:</b>   |                    |  |                |
| displacement factor (cos $\phi_1$ )   | 0,95               | Colour consistency in McAdam ellipses                              | 3              |
| Claims that an LED light source replaces a fluorescent light source without integrated ballast of a particular wattage. | Yes <sup>(b)</sup> | If yes then replacement claim (W)                                  | 60             |
| Flicker metric (Pst LM)   | 1,0                | Stroboscopic effect metric (SVM)                                   | 0,4            |

(a) : not applicable;


(b) : not applicable;

Spectrum

1.0=14.091mW/nm



Model placed on the Union market from 01/08/2021



**EPREL registration number:** 940331

<https://eprel.ec.europa.eu/qr/940331>

**Supplier:** THE LIGHT GROUP AS (Manufacturer)

**Website:** [www.tlg.no](http://www.tlg.no)

**Customer care service:**

**Name:** The Light Group

**Website:** [www.tlg.no](http://www.tlg.no)

**Email:** [post@tlg.no](mailto:post@tlg.no)

**Phone:** +4738002101

**Address:**

Sagmyra 2a  
4624 Kristiansand  
Norway