Product Information Sheet

trol gear, light-


COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light

sources			ors with regard to energ	57 145011115 01 115110			
Supplier's name	e or trade mark:	Hera GmbH & Co K	3				
Supplier's address: FE, Dieselstraße 9, 32130 Enger Herford, DE Model identifier: LED Basic-Tape S							
Lighting technology used:		LED	Non-directional or directional:	NDLS			
Light source cap-type		nein					
(or other electric interface)							
Mains or non-mains:		NMLS	Connected light source (CLS):	No			
Colour-tuneable light source:		No	Envelope:	-			
High luminance light source:		No					
Anti-glare shield:		No	Dimmable:	Only with spe- cific dimmers			
		Product para	 meters	ciric diffillicis			
Parameter		Value	Parameter	Value			
		General product p	arameters:				
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		42	Energy efficiency class	F			
Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		3 920 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 700 or 3 000 or 4 000			
On-mode power (P _{on}), ex- pressed in W		40,0	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00			
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	85			
Outer dimen-	Height	5 000	Spectral power dis-	See image			
sions without	Width	8	tribution in the	in last page			
separate con-	Depth	4	range 250 nm to 800				

nm, at full-load

ing control parts and non-lighting control parts, if any (millimetre)						
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-			
		Chromaticity coordi-	0,465			
		nates (x and y)	0,423			
Parameters for LED and OLED light sources:						
R9 colour rendering index valu	e 0	Survival factor	0,00			
the lumen maintenance factor	0,00					

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 08/06/2021



EPREL registration number: 943595 https://eprel.ec.europa.eu/qr/943595

Supplier: Hera GmbH & Co KG (Manufacturer) Website: www.hera-online.de

Customer care service:

Name: FE Website: www.hera-online.de

Email: rohs@hera-online.de Phone: 05224911309

Address: Dieselstraße 9 32130 Enger Germany