
## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

sources											
Supplier's name or trade mark: Scandinavian Lighting Concept  Supplier's address: The Light Group, Sagmyra 2a, 4624 Kristiansand, NO  Model identifier: SLC1204											
							Type of light so	urce:			
							Lighting technology used:		LED	Non-directional or directional:	DLS
Light source cap-type		N/A									
(or other electric interface)											
Mains or non-mains:		NMLS	Connected light source (CLS):	Yes							
Colour-tuneable light source:		No	Envelope:	-							
High luminance light source:		No									
Anti-glare shield:		No	Dimmable:	No							
Product parameters											
Parameter		Value	Parameter	Value							
		General product	parameters:								
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		3	Energy efficiency class	G							
Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		164 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 700							
On-mode power (P <sub>on</sub> ), ex- pressed in W		3,0	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,00							
Networked standby power (P <sub>net</sub> ) for CLS, expressed in W and rounded to the second decimal		0,00	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	90							
Outer dimen-	Height	18	Spectral power dis-	See image							
sions without separate con- trol gear, light- ing control	Width Depth	32 18	tribution in the range 250 nm to 800 nm, at full-load	in last page							

parts and non- lighting con- trol parts, if any (millime- tre)					
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-		
		Chromaticity coordi-	0,458		
		nates (x and y)	0,409		
Parameters for directional light sources:					
Peak luminous intensity (cd)	74	Beam angle in degrees, or the range of beam angles that can be set	100		
Parameters for LED and OLED light sources:					
R9 colour rendering index value	60	Survival factor	0,90		
the lumen maintenance factor	0,96				

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 01/08/2021



**EPREL registration number:** 946621 https://eprel.ec.europa.eu/qr/946621

Supplier: THE LIGHT GROUP AS (Manufacturer) Website: www.tlg.no

**Customer care service:** 

Name: The Light Group Website: www.tlg.no

Email: post@tlg.no Phone: +4738002101

Address: Sagmyra 2a 4624 Kristiansand

Norway