Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Suppl	ier's	name	or	trade	mark:	Vibia
-------	-------	------	----	-------	-------	-------

Supplier's address: Vibia Lighting, progres 4-6, 08850 Gava gava Barcelona, ES

Model identifier: 166062/10

Type	of	light	source:
-,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		0	

pressed in W

Outer dimen-

sions without

separate con-

trol gear, light-

control

imal

ing

Networked standby power

(P_{net}) for CLS, expressed in W

and rounded to the second dec-

Height

Width

Depth

Type of light source:			
Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type	Renobable PCB		
(or other electric interface)			
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	No
	Product para	meters	
Parameter	Value	Parameter	Value
	General product p	parameters:	
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer	4	Energy efficiency class	E
Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	485 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 700
On-mode power (P _{on}), ex-	4,0	Standby power (P _{sb}),	0,10
	1		1

1 250

160

250

expressed in W and

rounded to the sec-

Colour rendering in-

dex, rounded to the

nearest integer, or the range of CRI-val-

ues that can be set

Spectral power dis-

range 250 nm to 800

nm, at full-load

in the

ond decimal

tribution


90

See image

in last page

parts and non- lighting con- trol parts, if any (millime- tre)						
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-			
		Chromaticity coordi-	0,458			
		nates (x and y)	0,413			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	46	Survival factor	-			
the lumen maintenance factor	-					

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 01/01/2010



EPREL registration number: 950344 https://eprel.ec.europa.eu/qr/950344

Supplier: Vibia Ligting, SLU (Manufacturer) Website: www.vibia.com

Customer care service:

Name: Vibia Lighting Website: www.vibia.com

Email: vibia@vibialighting.com Phone: +34 934 796 970

Address: progres 4-6 08850 gava Spain