## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier	's name o	r trade mark:	Vibia
----------	-----------	---------------	-------

Supplier's address: Vibia Lighting, progres 4-6, 08850 Gava gava Barcelona, ES

Model identifier: 166093/10

Tν	pe	of	light	source	•:
٠,	<b>P</b> C	٠.		504.00	••


Lighting technology used:	LED	Non-directional or directional:	NDLS	
Light source cap-type	Renobable PCB			
(or other electric interface)				
Mains or non-mains:	NMLS	Connected light source (CLS):	No	
Colour-tuneable light source:	No	Envelope:	-	
High luminance light source:	No			
Anti-glare shield:	No	Dimmable:	No	
Duodinat novometore				

## Product parameters

Product parameters				
Parameter		Value	Parameter	Value
		General product p	parameters:	
<u> </u>	mption in on- 00 h), rounded st integer	4	Energy efficiency class	Е
dicating if it refe a sphere (360º)	s flux (фuse), in- ers to the flux in , in a wide cone arrow cone (90º)	485 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 700
On-mode power (P <sub>on</sub> ), expressed in W		4,0	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,10
Networked standby power (P <sub>net</sub> ) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	90
Outer dimen-	Height	1 250	Spectral power distribution in the range 250 nm to 800 nm, at full-load	See image
sions without	Width	160		in last page
separate con- trol gear, light- ing control	Depth	250		

parts and non- lighting con- trol parts, if any (millime- tre)			
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-
		Chromaticity coordi-	0,458
		nates (x and y)	0,413
Parameters for LED and OLED light sources:			
R9 colour rendering index value	46	Survival factor	-
the lumen maintenance factor	-		

(a)'-': not applicable; (b)'-': not applicable;



## Model placed on the Union market from 01/01/2010



**EPREL registration number:** 950348 https://eprel.ec.europa.eu/qr/950348

Supplier: Vibia Ligting, SLU (Manufacturer) Website: www.vibia.com

**Customer care service:** 

Name: Vibia Lighting Website: www.vibia.com

Email: vibia@vibialighting.com Phone: +34 934 796 970

Address: progres 4-6 08850 gava Spain