

Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: AYTM

Supplier's address: AYTM, Polensgade 15, 8000 Aarhus, DK

Model identifier: GRASIL pendant

Type of light source:

Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type (or other electric interface)	Built-in LED		
Mains or non-mains:	NMLS	Connected light source (CLS):	Yes
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	Yes	Dimmable:	No

Product parameters

Parameter	Value	Parameter	Value
General product parameters:			
Energy consumption in on-mode (kWh/1000 h), rounded up to the nearest integer	10	Energy efficiency class	G
Useful luminous flux (ϕ_{use}), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	498 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 975
On-mode power (P_{on}), expressed in W	10,0	Standby power (P_{sb}), expressed in W and rounded to the second decimal	0,50
Networked standby power (P_{net}) for CLS, expressed in W and rounded to the second decimal	0,50	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	90
Outer dimensions without separate control gear, lighting control	Height	972	Spectral power distribution in the range 250 nm to 800 nm, at full-load
	Width	560	
	Depth	150	
			See image in last page

parts and non-lighting control parts, if any (millimetre)			
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-
		Chromaticity coordinates (x and y)	0,485 0,427
Parameters for LED and OLED light sources:			
R9 colour rendering index value	53	Survival factor	-
the lumen maintenance factor	-		

(a) : not applicable;


(b) : not applicable;

Test Condition

Temperature : 25Deg
WL Range : 350nm-1000nm
Test Mode : Fast Test

RH : 65.0%
IP : 52347 (80%)
T : 900 ms
Sensitivity : High

Spectrum



Model placed on the Union market from 12/09/2022



EPREL registration number: 1364869

<https://eprel.ec.europa.eu/qr/1364869>

Supplier: Gran Living (Importer)

Website: www.granliving.dk

Customer care service:

Name: AYTM

Website: <https://aytmdesign.com/>

Email: contact@aytm.dk

Phone: +45 86782620

Address:

Polensgade 15
8000 Aarhus
Denmark