Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's address: LIGHT-POINT, Grønnegade 3, 2. tv., 1107 Copenhagen K, DK

Model identifier: 270963 AURA W1

_	•			
Type	Λt	light	COLL	rca.
IVDE	VI.	HEILL	SOU	LC.

Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type	LED Module		
(or other electric interface)			
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	Only with spe- cific dimmers

Product parameters

Product parameters					
Parameter		Value	Parameter	Value	
General product parameters:					
<u> </u>	mption in on- 00 h), rounded st integer	9	Energy efficiency class	E	
dicating if it refe a sphere (360º)	s flux (фuse), iners to the flux in , in a wide cone arrow cone (90º)	726 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	27003000	
On-mode pov pressed in W	ver (P _{on}), ex-	6,0	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00	
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	92	
Outer dimen-	Height	48	Spectral power dis-	See image	
sions without	Width	12	tribution in the	in last page	
separate con- trol gear, light-	Depth	1	range 250 nm to 800 nm, at full-load		

ing control parts and non-lighting control parts, if any (millimetre)				
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-	
		Chromaticity coordi-	0,434	
		nates (x and y)	0,403	
Parameters for LED and OLED light sources:				
R9 colour rendering index va	lue 55	Survival factor	-	
the lumen maintenance fact	or -			

(a)'-': not applicable; (b)'-': not applicable;



Hang zhou hui pu technology Co.ltd. No.92.HuanCheng North Road,Xia Cheng District,Hangzhou,Zhejiang China TELL:+86-571-88752175 FAX:+86-571-88752175 www.hpyiqi.com

Spectral test report for lamp


 Product type
 : 270473
 Test time
 : 2023-5-9 17:02:14

 Product No.
 : CP330111NJ
 Test equipment
 : SPEC-2000A Spectrometer

 Manufacturer
 : VELLNICE
 Operator
 : QC1

CIE Color Parameter

Color rendering index:Ra=96.33 Color Fidelity:Rf=92.38 Color GamutRg=104.31 GAI=111.15 R1=99.9 R2=97.9 R3=92.4 R4=97.2 R5=98.4 R6=92.4 R7=95.0 R8=97.0 R9=99.4 R10=91.5 R11=95.7 R12=76.1 R13=99.2 R14=95.3 R15=99.1



Optical Parameter

Luminous flux: 567.232 lm Energy efficiency index(EEI): 33.036 MES1=491.221 luminous efficiency:33.04 lm/w Radiant flux: 2.151 W

Energy efficiency class:G (EU 2019/2015) (EU 874

Electrical Parameter

Test Infomation

 Temperature
 25Deg C
 Humidity
 :52

 Test range
 :350-800nm : 1nm
 Peak AD.
 :46346 (69.2%)

 Preheat time
 :(min)
 Integral time.
 :152.02 (ms)

MEASUREFINE

MEASUREFINE
Hangzhou Huipu Instrument Co., Ltd. http://www.measurefine.com

Model placed on the Union market from 20/07/2021



EPREL registration number: 997963 https://eprel.ec.europa.eu/qr/997963

Supplier: LIGHT-POINT A/S (Importer) **Website:**

Customer care service:

Name: LIGHT-POINT Website:

Email: finance@light-point.com Phone: +4570255525

Address:

Grønnegade 3, 2. tv. 1107 Copenhagen K

Denmark